

PERKHIDMATAN MEMBEKAL, MENGHANTAR, MEMASANG DAN MENGUJI ALAT KELENGKAPAN MUZIK UNTUK KEGUNAAN MAJLIS
BANDARAYA ISKANDAR PUTERI BAGI TAHUN 2025

RINGKASAN SENARAI KUANTITI

BIL.	BAHAGIAN	MUKA SURAT	JUMLAH (RM)
1	BAHAGIAN A : ALAT KELENGKAPAN MUZIK (A)	2/8	
2	BAHAGIAN B : ALAT KELENGKAPAN MUZIK (B)	6/8	
JUMLAH KESELURUHAN			

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A	BAHAGIAN A : ALAT KELENGKAPAN MUZIK (A) Membekal, menghantar, memasang dan menguji alat kelengkapan muzik sebagaimana berikut. Sila semak spesifikasi dan lampiran bergambar yang telah disediakan.				
A.1	CABINET AMPLIFIER FLIGHT CASE • BRAND / MODEL : TO BE ADVISED • COLOR : BLACK • CARRY/TRANSPORT OPTIONS : HANDLE, WHEELS (BUILT-IN) • TYPE OF CLOSURE : LATCH • DIMENSIONS ◦ EXTERIOR : 26.5 X 24 X 14.5" / 67.3 X 60.9 X 36.8 CM ◦ INTERIOR : 20.5 X 12.5 X 12" / 52.1 X 31.8 X 30.5 CM • WEIGHT : 56 LB / 25.4 KG	UNIT	2		
A.2	HEAD AMPLIFIER FLIGHT CASE • BRAND / MODEL : TO BE ADVISED • TYPE : LIFT OFF LID • MATERIAL : 7MM BLACK HEXA BOARD. OTHER COLOURS AVAILABLE (ADD TO BASKET TO VIEW) • INTERIOR DIMENSIONS : CUSTOM BUILT TO SUIT YOUR HEAD • EXTERIOR DIMENSIONS : CUSTOM BUILT TO SUIT YOUR HEAD • FOAM : FOAM LINED IN 20MM HIGH DENSE FOAM • HEAVY DUTY PENN ELCOM FITTINGS • CASTORS: NONE FITTED	UNIT	2		
A.3	AMPLIFIER FLIGHT CASE • BRAND / MODEL : TO BE ADVISED • DURABLE CONSTRUCTION : CONSTRUCTED WITH LAMINATED 3/8" PLYWOOD FOR LONG-LASTING USE. • UNIVERSAL FIT: DESIGNED FOR 1X12 GUITAR AMP COMBOS, OFFERING A VERSATILE SOLUTION. • SMOOTH MOBILITY: EQUIPPED WITH ROLLING 3-1/2" CASTER WHEELS FEATURING BRAKE LOCKS FOR EASY TRANSPORTATION. • ADJUSTABLE DIMENSIONS: THE INTERIOR IS ADJUSTABLE IN LENGTH (18" TO 25.5"), DEPTH (9" TO 13"), AND HEIGHT (16" TO 22"). • OVERALL DIMENSIONS: EXTERIOR MEASURES 27-1/2" X 14-1/2" X 23-3/4".	UNIT	1		
A.4	DRUMSTICK • BRAND / MODEL : TO BE ADVISED • SIZE : 55A • DIAMETER : 531" • LENGTH : 15 7/8" • TAPER : LONG • TIP/HEAD MATERIAL : WOOD • FINISH : LACQUER • TIP SHAPE : BARREL • TYPE : DRUM SET	SET	3		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.5	DRUM STICK BAG • BRAND / MODEL : TO BE ADVISED • CAPACITY : HOLDS ABOUT 10 PAIRS OF STICKS COMFORTABLY. • INTERNAL DIMENSIONS : 16" X 8" (40.6CM X 20.3CM) • EXTERNAL POCKET DIMENSIONS : 7" X 5.5" (17.8CM X 14.0CM) • WEIGHT: 19.8OZ (560G)	UNIT	1		
A.6	DRUMPAD SOLID STAND FOR ROLAND HPD 20 (HANDSONIC) • BRAND / MODEL : TO BE ADVISED • ITEM WEIGHT : 9.43 POUNDS (4.24 KG) • PRODUCT DIMENSIONS : 28.15 X 6.9 X 5.45 INCHES (71.5 X 17.5 X 13.8 CM) • ITEM MODEL NUMBER : PDS-20 • COLOR : CHROME • BRAND : ROLAND ATAU YANG SETARA DENGANNYA • ITEM DIMENSIONS LXWXH : 28.15 X 6.9 X 5.45 INCHES (71.5 X 17.5 X 13.8 CM) • FINISH TYPE : CHROME • BASE TYPE : LEG	UNIT	1		
A.7	FLIGHT CASE FOR ROLAND HPD 20 (HANDSONIC) • BRAND / MODEL : TO BE ADVISED • CUSTOM MADE CASE : FOR ROLAND HPD-20 WITH MOUNTED ROLAND APC-33 MULTI-CLAMP FROM 7 MM MULTIPLEX PLYWOOD WITH 22 X 22 MM ALUMINIUM EDGES • MILLED FOAM INLAY • 2 DRAWBOLT • 1 FABRIC HANDLE • STEEL BALL CORNERS • ACCESSORY COMPARTMENT FOR POWER SUPPLY • EXTERNAL DIMENSIONS (W X D X H): APPROX. 57.4 X 43.8 X 21.5 CM • WEIGHT: APPROX. 6.1 KG • WEIGHT WITH DRUM PAD: APPROX. 9.5 KG	UNIT	1		
A.8	JACK TO JACK INSTRUMENT CABLE • BRAND / MODEL : TO BE ADVISED • OXYGEN-FREE COPPER (OFC) CONDUCTORS • OXYGEN-FREE COPPER (OFC) SPIRAL SHIELDING • PVC OUTER JACKET • SUITABLE IN 5', 10', 15', & 20' LENGTHS • RIGHT ANGLE / STRAIGHT ENDS	UNIT	4		
A.9	ELECTIC AND ACOUSTIC GUITAR CASE • BRAND / MODEL : TO BE ADVISED • INTERNAL DIMENSIONS: 41.5" X 14.5" X 3" (105.4CM X 36.8CM X 7.6CM) • EXTERNAL DIMENSIONS: 44.5" X 18.9" X 5.5" (113.0CM X 48.0CM X 14.0CM) • EXTERNAL POCKET DIMENSIONS: 7" (SHORT) / 17" (TALL) X 15" X 1" (17.8CM / 43.2CM X 38.1CM X 2.5CM) • WEIGHT: 5.5LBS (2.5KG)	UNIT	2		
A.10	TALI GITAR ELEKTRIK • BRAND / MODEL : TO BE ADVISED • CAUGES : .009, .011, .016, .024, .032, .042, SUPER LIGHT • COATING : UNCOATED • NUMBER OF STRINGS : 6 • SET TYPE : SETS • WRAP MATERIAL : NICKEL-PLATED STEEL	SET	12		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.11	TALI GITAR AKUSTIK (STEEL) • BRAND / MODEL : TO BE ADVISED • EXTRA LIGHT GAUGE : .010, .014, .023, .030, .039, .047 • 80/20 BRONZE • SET TYPE : SETS	SET	12		
A.12	TALI GITAR AKUSTIK (NYLON) • BRAND / MODEL : TO BE ADVISED • GUITAR TYPE : CLASSICAL (NORMAL TENSION) • GAUGES : .028, .032, .040, .029, .035, .043 • CORE MATERIAL : NYLON • WINDING MATERIAL : SILVER-PLATED COPPER • WINDING TYPE : CLASSICAL • MANUFACTURER PART NUMBER : EJ27N	SET	6		
A.13	TALI GITAR BASS (ELEKTRIK) • BRAND / MODEL : TO BE ADVISED • MATERIAL : BRIGHT TONE ROUND WOUND COLOUR : SILVER • MODEL NOTE : 1G 2D 3A 4E 5B • PACKAGE CONTENTS : 5 STRINGS ONLY THE ABOVE PACKAGE	SET	6		
A.14	TUNE-BOT STUDIO DRUM TUNER • A HANDS-FREE CLIP-ON DIGITAL DRUM TUNER FOR YOUR ENTIRE KIT • CLIPS ONTO ANY STANDARD DRUM RIM FOR EASY LUG-TO-LUG TUNING • STANDARD AND HIGH-PITCH RANGES ACCOMMODATE DEEP BASS TO HIGH SNARE DRUMS • TUNE YOUR ENTIRE KIT IN MUSICAL INTERVALS • DIFFERENCE MODE AND FILTER MODE IMPROVE TUNING ACCURACY • 4-COLOR DISPLAY IS EASY TO READ AND SIMPLE TO NAVIGATE • SAVE TUNINGS FOR 5 KITS, EACH WITH UP TO 10 DRUMS • BUILT FROM TOUGH PLASTIC TO SURVIVE REGULAR TRAVEL	UNIT	1		
A.15	STAND UP PERFORMER GUITAR STAND • BRAND / MODEL : TO BE ADVISED • WALK UP GUITAR STAND HOLDS YOUR ELECTRIC GUITAR SECURELY IN THE PLAYING POSITION • HEIGHT ADJUSTABLE FROM 27" TO 61" • FELT-LINED INSTRUMENT SUPPORT ARM WON'T HARM YOUR GUITAR'S FINISH • FOLDED LENGTH IS 31" • 7.1 LBS.	UNIT	1		
A.16	STEREO PASSIVE DIRECT BOX • BRAND / MODEL : TO BE ADVISED • ALL-METAL, IMPACT RESISTANT DESIGN • DUAL SAMSON STLX MU-METAL SHIELDED TRANSFORMERS • STEREO/MONO SUM SWITCH • DUAL 3-POSITION 0DB/-10DB/-20DB ATTENUATION SWITCHES • DUAL GROUND LIFT SWITCHES • DUAL 1/4" INPUTS AND THROUGHES • DUAL BALANCED XLR OUTPUTS • NO PHANTOM OR BATTERY POWER REQUIRED • FREQUENCY RESPONSE OF 18HZ-20KHZ	UNIT	2		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.17	HEADPHONE WIRED IN-EAR MONITOR • TYPE : CLOSED-BACK DYNAMIC • DRIVER DIAMETER : 40 MM • FREQUENCY RESPONSE : 15 - 20,000 HZ • MAXIMUM INPUT POWER : 700 MW AT 1 KHZ • SENSITIVITY : 96 DB • IMPEDANCE : 47 OHMS • WEIGHT : 190 G (6.7 OZ), WITHOUT CABLE AND CONNECTOR • CABLE : 3.0 M (9.8'), STRAIGHT, LEFT-SIDE EXIT • MAGNET : NEODYMIUM • VOICE COIL : COPPER-CLAD ALUMINUM WIRE • ACCESSORIES INCLUDED : 6.3 MM (1/4") SNAP-ON ADAPTER	UNIT	3		
A.18	SHEET MUSIC STAND • JENAMA : GATOR ATAU SETARA DENGANNYA • MODEL : GFW-MUS-0500 ATAU SETARA • BOOKPLATE MATERIAL:PERFORATED METAL • BOOKPLATE SIZE :18.75" TRAY • COLLAPSIBLE : HEIGHT ADJUSTABLE TO 45" • COLLAPSIBLE LEGS : YES	UNIT	5		
A.19	MICROPHONE STAND • JENAMA : HERCULES ATAU SETARA DENGANNYA • MODEL : MS434B ATAU SETARA • HEIGHT : 970 MM - 1680 MM (38.19" - 66.1") • WEIGHT : 2.4 KG (5.3LBS.) • BASE RADIUS : 340 MM (13.4") • BOOM LENGTH : 780 MM (30.7") • FOLDED SIZE : 95 MM X 95 MM X 950 MM (3.74" X 3.74" X 37.4")	UNIT	2		
A.20	4 GANG TRAILING SOCKET HEAVY DUTY POWER DISTRIBUTION UNIT (5 METRE) • BRAND / MODEL : TO BE ADVISED • COLOR : BLACK • CABLE LENGTH : 5 METRE • NUMBER OF SOCKET : 4 • SOCKET TYPE : UK • CURRENT RATING : 13A	UNIT	3		
JUMLAH KESELURUHAN (BIL A)					

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B	BAHAGIAN B : ALAT KELENGKAPAN MUZIK (B) Membekal, menghantar, memasang dan menguji alat kelengkapan muzik sebagaimana berikut. Sila semak spesifikasi dan lampiran bergambar yang telah disediakan.				
B.1	UPRIGHT DRUM CUSTOM FLIGHTCASE • BRAND / MODEL : TO BE ADVISED • STEEL BALL CORNERS • 3/8" BIRCH HARDWOOD • ALUMINUM TONGUE AND GROOVE • RECESSED SPRING LOADED STEEL HANDLES • HIGH PERFORMANCE ESTER FOAM • STEEL RECESSED TWIST LATCHES • 4" POLYURETHANE LOCKING CASTERS • DOUBLE ANGLE ALUMINUM EDGE TRIMMING • CUSTOMIZED INTERIOR TO PROVIDE A SPACE FOR CYMBALS AND HARDWARE • LIFT-OFF FRONT LID	UNIT	1		
B.2	6-CHANNEL HEADPHONE AMPLIFIER • JENAMA: PRESONUS ATAU SETARA DENGANNYA • MODEL: HP60 ATAU SETARA • NUMBER OF HEADPHONE CHANNELS : 6-CHANNEL • HEADPHONE OUTPUT POWER : 150 MW RMS PER SIDE INTO 60 OHMS (MAX) • ANALOG AUDIO I/O: ◦ 4X 1/4" TRS BALANCED INPUT (2 STEREO PAIR) ◦ 1X 1/4" TRS UNBALANCED STEREO INPUT ◦ 6X 1/4" TRS UNBALANCED HEADPHONE OUTPUT • FREQUENCY RESPONSE ◦ INPUTS: 10 HZ TO 40 KHZ $\hat{\pm}$1 DB ◦ OUTPUTS: 10HZ TO 70 KHZ $\hat{\pm}$1 DB • THD+N : < 0.05% • RACKMOUNT SIZE : 1 RU • DIMENSIONS : 19 X 5.5 X 1.75" / 483 X 140 X 44 MM • WEIGHT: 5.0 LB / 2.3 KG	UNIT	1		
B.3	RACKMOUNTABLE DIGITAL AUDIO MIXER • JENAMA : YAMAHA ATAU SETARA DENGANNYA • MODEL : TF-RACK ATAU SETARA • 16 ANALOG XLR/TRS COMBO MIC/LINE INPUTS • 16 ANALOG OUTPUTS (8-XLR & 8-TRS) • AUX BUSES : 20 (8 MONO + 6 STEREO) • INPUT CHANNEL FUNCTIONS : 8 DCA GROUPS • I/O INPUTS: 16 MIC/LINE (XLR/TRS COMBO) + 1 STEREO LINE (RCA PIN) • OUTPUTS : 16 (XLR) • POWER REQUIREMENTS : 100 - 240 VAC 50/60 HZ • POWER CONSUMPTION : 85 W • ANALOG INPUT TERMINALS : INPUT 1-16, ST IN 1,2 • GAIN : -6 DB / +66 DB (INPUT 1-16) • DIMENSIONS : 18.9 X 5.2 X 16.1" / 48.0 X 13.2 X 40.9 CM • NET WEIGHT : 20.3 LB / 9.2 KG	UNIT	1		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B.4	2000W 10 INCH 2-WAY ACTIVE POWERED SPEAKER WITH STAND AND CABLE • JENAMA : ALTO ATAU SETARA DENGANNYA • MODEL : TRUESONIC 4 TS410-P1 ATAU SETARA • POWERED : YES • POWER CONFIGURATION : BI-AMPED • CHANNELS : 3-CHANNEL MIXER • LF DRIVER SIZE : 10" WOOFER • HF DRIVER SIZE : 1" CERAMIC DRIVER • LF DRIVER POWER AMP : 650W • HF DRIVER POWER AMP : 350W • TOTAL POWER : 200W • INPUTS : 2 X XLR-1/4" COMBO • OUTPUTS : 1 X XLR • USB : 1 X TYPE A • BLUETOOTH : YES • WIRELESS : BLUETOOTH • FREQUENCY RANGE : 48HZ-20KHZ (-10 DB) • FREQUENCY RESPONSE : 57HZ-20KHZ • CROSSEVER FREQUENCY : 2KHZ • MAXIMUM PEAK SPL : 130 DB (PEAK), 127 DB (CONTINUOUS) • HORIZONTAL COVERAGE ANGLE : 90° • VERTICAL COVERAGE ANGLE : 60° • SIGNAL PROCESSING : DSP PRESETS • SOFTWARE : REMOTE APP • ENCLOSURE MATERIAL : INJECTED MOLDED ENCLOSURE AND PERFORATED METAL GRILLE	UNIT	2		
B.5	GUITAR MULTI-EFFECT PEDAL • JENAMA : BOSS ATAU SETARA DENGANNYA • MODEL : GT1000 ATAU SETARA • PEDAL TYPE : MULTI-FX • NUMBER OF EFFECTS : 116 • EFFECTS TYPES : REVERB, DELAY, PITCH SHIFTER, OCTAVE, FLANGER, PHASER, TREMOLO, VIBRATO, HARMONIST, CHORUS, AUTO WAH, COMPRESSOR AND MORE • AMP MODELING : YES • LOOPER : UP TO 38 SECONDS • INPUTS : 1 X 1/4" (INSTRUMENT), 2 X 1/4" (RETURN) • OUTPUTS : 2 X 1/4" (MAIN OUT), 2 X 1/4" (SEND), 2 X XLR (SUB OUT) • MIDI I/O : IN/OUT • USB : 1 X TYPE B • BLUETOOTH : YES • HEADPHONES : 1 X 1/4" • OTHER I/O : 3 X 1/4" (CONTROL/EXPRESSION, AMP CONTROL) • EXPRESSION CONTROL : BUILT-IN • COMPATIBILITY : PC, ANDROID, IOS • POWER SOURCE : 9V DC POWER SUPPLY (INCLUDED) • POWER USAGE : 1200MA • HEIGHT : 2.75" • WIDTH : 18.18" • DEPTH : 9.76" • WEIGHT : 7.93 LBS.	UNIT	1		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B.6	GUITAR MULTI-EFFECT PEDAL - JENAMA: HEADRUSH ATAU SETARA DENGANNYA - MODEL: PRIME ATAU SETARA - FOOTSWITCHES: 12? FOOTSWITCHES WITH COLOUR LEDS & OLED DISPLAYS - PEDALS: 1? EXPRESSION PEDAL - KNOBS: 1? 300? MAIN VOLUME KNOB, 1? 300? PHONES VOLUME KNOB, 1? 300? AUXILIARY VOLUME KNOB, 1? 360? NAVITAGION/DATA ENCODER, 3? 360? PARAMETER ENCODERS - CONNECTORS: 1/4? (6.35 MM) TS INPUT (GUITAR) XLR / 1/4" (6.35 MM) INPUT (MICROPHONE), 1/4? (6.35 MM) TRS INPUT (EXPRESSION PEDAL), 1/4? (6.35 MM) TS INPUT (EXPRESSION PEDAL TOE SWITCH) 1/8? (3.5 MM) STEREO INPUT (AUXILIARY DEVICE), 1/4? (6.35 MM) TRS OUTPUT (EXTERNAL AMP FOOTSWITCH) 1/4? (6.35 MM) STEREO PAIR OUTPUTS, XLR STEREO PAIR OUTPUTS, 1/8? (3.5 MM) STEREO HEADPHONE OUTPUT, 1/4? (6.35 MM) TRS INPUT (FX SEND), 1/4? (6.35 MM) TRS OUTPUT (FX RETURN), (1) 5-PIN MIDI INPUT, (1) 5-PIN MIDI OUTPUT, USB TYPE-A PORT, USB TYPE-B PORT - POWER: IEC CABLE, 100??240 V, 50/60 HZ, 1.2 A - INCLUDES: HEADRUSH PRIME, USB CABLE, POWER CABLE - SOFTWARE DOWNLOAD CARD QUICKSTART GUIDE, SAFETY & WARRANTY MANUAL - DIMENSIONS: 25.68? (W) ? 12.12? (D) ? 3.24? (H) / 65.23 CM (W) ? 30.78 CM (D) ? 8.23 CM (H) - WEIGHT: 7.50 KG / 16.53 LBS.	UNIT	1		
JUMLAH KESELURUHAN (BIL B)					