

MEMBEKAL, MEMASANG, MENGUJI DAN MENTAULIAH KELENGKAPAN ICT UNTUK KEGUNAAN BANGUNAN PEJABAT MAJLIS
BANDARAYA ISKANDAR PUTERI BAGI TAHUN 2025

RINGKASAN SENARAI KUANTITI

BIL.	BAHAGIAN	MUKA SURAT	JUMLAH (RM)
1	KOMPUTER PERIBADI BESERTA KELENGKAPAN	2/25	
2	KOMPUTER RIBA BESERTA KELENGKAPAN	6/25	
3	PERALATAN ICT	9/25	
4	PERALATAN SOKONGAN ICT	14/25	
JUMLAH KESELURUHAN			

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A	KOMPUTER PERIBADI BESERTA KELENGKAPAN				

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																																																										
A.1	SET KOMPUTER I5 ASUS EXPERTCENTER-24-W11 ATAU SETARA DENGANNYA <table><tr><td>PROCESSOR</td><td>INTEL CORE I5</td></tr><tr><td>MEMORY</td><td>24GB</td></tr><tr><td>STORAGE</td><td>512 GB SSD M.2</td></tr><tr><td>GRAPHIC</td><td>INTEGRATED INTEL GRAPHICS</td></tr><tr><td>OS</td><td>WINDOWS 11 PRO</td></tr><tr><td>AUDIO</td><td>INTEGRATED HIGH-DEFINITION</td></tr><tr><td>CONNECTIVITY</td><td>WI-FI 6E(802.11AX) (DUAL BAND) 2*2 + BLUETOOTH 5.3</td></tr><tr><td>INTERFACE</td><td>1X RJ45 GIGABIT ETHERNET</td></tr><tr><td>(REAR)</td><td>1X HDMI 1.4</td></tr><tr><td></td><td>1X VGA PORT</td></tr><tr><td></td><td>1X DISPLAYPORT 1.4</td></tr><tr><td></td><td>1X 7.1 CHANNEL AUDIO (3 PORTS)</td></tr><tr><td></td><td>3X USB 2.0 TYPE-A</td></tr><tr><td></td><td>2X USB 3.2 GEN 1 TYPE-A</td></tr><tr><td></td><td>1X HEADPHONE</td></tr><tr><td>(FRONT)</td><td>1X 3.5 MM COMBO AUDIO JACK</td></tr><tr><td></td><td>2X USB 2.0 TYPE-A</td></tr><tr><td></td><td>2X USB 3.2 GEN 2 TYPE-A</td></tr><tr><td></td><td>1X USB 3.2 GEN 2*2 TYPE-C</td></tr><tr><td></td><td>1X 2 IN 1 CARD READER SD / MMC</td></tr><tr><td>KEYBOARD & MOUSE</td><td>USB KEYBOARD & USB OPTICAL MOUSE</td></tr><tr><td>MONITOR</td><td>ASUS VY249HF-R 24 INCH</td></tr><tr><td></td><td>PANEL SIZE (INCH) : 23.8</td></tr><tr><td></td><td>BACKLIGHT TYPE : LED</td></tr><tr><td></td><td>PANEL TYPE : IPS</td></tr><tr><td></td><td>RESPONSE TIME : 1MS MPRT</td></tr><tr><td></td><td>REFRESH RATE (MAX) : 100HZ</td></tr><tr><td></td><td>PORT : HDMI(V1.4) X 1</td></tr><tr><td></td><td>EARPHONE JACK : YES</td></tr></table>	PROCESSOR	INTEL CORE I5	MEMORY	24GB	STORAGE	512 GB SSD M.2	GRAPHIC	INTEGRATED INTEL GRAPHICS	OS	WINDOWS 11 PRO	AUDIO	INTEGRATED HIGH-DEFINITION	CONNECTIVITY	WI-FI 6E(802.11AX) (DUAL BAND) 2*2 + BLUETOOTH 5.3	INTERFACE	1X RJ45 GIGABIT ETHERNET	(REAR)	1X HDMI 1.4		1X VGA PORT		1X DISPLAYPORT 1.4		1X 7.1 CHANNEL AUDIO (3 PORTS)		3X USB 2.0 TYPE-A		2X USB 3.2 GEN 1 TYPE-A		1X HEADPHONE	(FRONT)	1X 3.5 MM COMBO AUDIO JACK		2X USB 2.0 TYPE-A		2X USB 3.2 GEN 2 TYPE-A		1X USB 3.2 GEN 2*2 TYPE-C		1X 2 IN 1 CARD READER SD / MMC	KEYBOARD & MOUSE	USB KEYBOARD & USB OPTICAL MOUSE	MONITOR	ASUS VY249HF-R 24 INCH		PANEL SIZE (INCH) : 23.8		BACKLIGHT TYPE : LED		PANEL TYPE : IPS		RESPONSE TIME : 1MS MPRT		REFRESH RATE (MAX) : 100HZ		PORT : HDMI(V1.4) X 1		EARPHONE JACK : YES	UNIT	30		
PROCESSOR	INTEL CORE I5																																																														
MEMORY	24GB																																																														
STORAGE	512 GB SSD M.2																																																														
GRAPHIC	INTEGRATED INTEL GRAPHICS																																																														
OS	WINDOWS 11 PRO																																																														
AUDIO	INTEGRATED HIGH-DEFINITION																																																														
CONNECTIVITY	WI-FI 6E(802.11AX) (DUAL BAND) 2*2 + BLUETOOTH 5.3																																																														
INTERFACE	1X RJ45 GIGABIT ETHERNET																																																														
(REAR)	1X HDMI 1.4																																																														
	1X VGA PORT																																																														
	1X DISPLAYPORT 1.4																																																														
	1X 7.1 CHANNEL AUDIO (3 PORTS)																																																														
	3X USB 2.0 TYPE-A																																																														
	2X USB 3.2 GEN 1 TYPE-A																																																														
	1X HEADPHONE																																																														
(FRONT)	1X 3.5 MM COMBO AUDIO JACK																																																														
	2X USB 2.0 TYPE-A																																																														
	2X USB 3.2 GEN 2 TYPE-A																																																														
	1X USB 3.2 GEN 2*2 TYPE-C																																																														
	1X 2 IN 1 CARD READER SD / MMC																																																														
KEYBOARD & MOUSE	USB KEYBOARD & USB OPTICAL MOUSE																																																														
MONITOR	ASUS VY249HF-R 24 INCH																																																														
	PANEL SIZE (INCH) : 23.8																																																														
	BACKLIGHT TYPE : LED																																																														
	PANEL TYPE : IPS																																																														
	RESPONSE TIME : 1MS MPRT																																																														
	REFRESH RATE (MAX) : 100HZ																																																														
	PORT : HDMI(V1.4) X 1																																																														
	EARPHONE JACK : YES																																																														

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																																																										
A.2	SET KOMPUTER I7 ASUS EXPERTCENTER D8 SFF ATAU SETARA DENGANNYA <table><tr><td>PROCESSOR</td><td>INTEL CORE I7 VPRO</td></tr><tr><td>MEMORY</td><td>32GB</td></tr><tr><td>STORAGE</td><td>1 TB SSD M.2</td></tr><tr><td>GRAPHIC</td><td>INTEGRATED INTEL GRAPHICS</td></tr><tr><td>OS</td><td>WINDOWS 11 PRO</td></tr><tr><td>AUDIO</td><td>INTEGRATED HIGH-DEFINITION</td></tr><tr><td>CONNECTIVITY</td><td>WI-FI 6E(802.11AX) (DUAL BAND) 2*2 + BLUETOOTH 5.3</td></tr><tr><td></td><td>1X RJ45 GIGABIT ETHERNET</td></tr><tr><td>INTERFACE</td><td>1X HDMI 1.4</td></tr><tr><td>(REAR)</td><td>1X VGA PORT</td></tr><tr><td></td><td>1X DISPLAYPORT 1.4</td></tr><tr><td></td><td>1X 7.1 CHANNEL AUDIO (3 PORTS)</td></tr><tr><td></td><td>3X USB 2.0 TYPE-A</td></tr><tr><td></td><td>2X USB 3.2 GEN 1 TYPE-A</td></tr><tr><td></td><td>1X HEADPHONE</td></tr><tr><td>(FRONT)</td><td>1X 3.5 MM COMBO AUDIO JACK</td></tr><tr><td></td><td>2X USB 2.0 TYPE-A</td></tr><tr><td></td><td>2X USB 3.2 GEN 2 TYPE-A</td></tr><tr><td></td><td>1X USB 3.2 GEN 2*2 TYPE-C</td></tr><tr><td></td><td>1X 2 IN 1 CARD READER SD / MMC</td></tr><tr><td>KEYBOARD & MOUSE</td><td>USB KEYBOARD & USB OPTICAL MOUSE</td></tr><tr><td>MONITOR</td><td>ASUS VY249HF-R 24 INCH</td></tr><tr><td></td><td>PANEL SIZE (INCH) : 23.8</td></tr><tr><td></td><td>BACKLIGHT TYPE : LED</td></tr><tr><td></td><td>PANEL TYPE : IPS</td></tr><tr><td></td><td>RESPONSE TIME : 1MS MPRT</td></tr><tr><td></td><td>REFRESH RATE (MAX) : 100HZ</td></tr><tr><td></td><td>PORT : HDMI(V1.4) X 1</td></tr><tr><td></td><td>EARPHONE JACK : YES</td></tr></table>	PROCESSOR	INTEL CORE I7 VPRO	MEMORY	32GB	STORAGE	1 TB SSD M.2	GRAPHIC	INTEGRATED INTEL GRAPHICS	OS	WINDOWS 11 PRO	AUDIO	INTEGRATED HIGH-DEFINITION	CONNECTIVITY	WI-FI 6E(802.11AX) (DUAL BAND) 2*2 + BLUETOOTH 5.3		1X RJ45 GIGABIT ETHERNET	INTERFACE	1X HDMI 1.4	(REAR)	1X VGA PORT		1X DISPLAYPORT 1.4		1X 7.1 CHANNEL AUDIO (3 PORTS)		3X USB 2.0 TYPE-A		2X USB 3.2 GEN 1 TYPE-A		1X HEADPHONE	(FRONT)	1X 3.5 MM COMBO AUDIO JACK		2X USB 2.0 TYPE-A		2X USB 3.2 GEN 2 TYPE-A		1X USB 3.2 GEN 2*2 TYPE-C		1X 2 IN 1 CARD READER SD / MMC	KEYBOARD & MOUSE	USB KEYBOARD & USB OPTICAL MOUSE	MONITOR	ASUS VY249HF-R 24 INCH		PANEL SIZE (INCH) : 23.8		BACKLIGHT TYPE : LED		PANEL TYPE : IPS		RESPONSE TIME : 1MS MPRT		REFRESH RATE (MAX) : 100HZ		PORT : HDMI(V1.4) X 1		EARPHONE JACK : YES	UNIT	40		
PROCESSOR	INTEL CORE I7 VPRO																																																														
MEMORY	32GB																																																														
STORAGE	1 TB SSD M.2																																																														
GRAPHIC	INTEGRATED INTEL GRAPHICS																																																														
OS	WINDOWS 11 PRO																																																														
AUDIO	INTEGRATED HIGH-DEFINITION																																																														
CONNECTIVITY	WI-FI 6E(802.11AX) (DUAL BAND) 2*2 + BLUETOOTH 5.3																																																														
	1X RJ45 GIGABIT ETHERNET																																																														
INTERFACE	1X HDMI 1.4																																																														
(REAR)	1X VGA PORT																																																														
	1X DISPLAYPORT 1.4																																																														
	1X 7.1 CHANNEL AUDIO (3 PORTS)																																																														
	3X USB 2.0 TYPE-A																																																														
	2X USB 3.2 GEN 1 TYPE-A																																																														
	1X HEADPHONE																																																														
(FRONT)	1X 3.5 MM COMBO AUDIO JACK																																																														
	2X USB 2.0 TYPE-A																																																														
	2X USB 3.2 GEN 2 TYPE-A																																																														
	1X USB 3.2 GEN 2*2 TYPE-C																																																														
	1X 2 IN 1 CARD READER SD / MMC																																																														
KEYBOARD & MOUSE	USB KEYBOARD & USB OPTICAL MOUSE																																																														
MONITOR	ASUS VY249HF-R 24 INCH																																																														
	PANEL SIZE (INCH) : 23.8																																																														
	BACKLIGHT TYPE : LED																																																														
	PANEL TYPE : IPS																																																														
	RESPONSE TIME : 1MS MPRT																																																														
	REFRESH RATE (MAX) : 100HZ																																																														
	PORT : HDMI(V1.4) X 1																																																														
	EARPHONE JACK : YES																																																														

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
JUMLAH KESELURUHAN (BIL A)					

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																																				
B	KOMPUTER RIBA BESERTA KELENGKAPAN																																								
B.1	KOMPUTER RIBA I9 ASUS ROG ZEPHYRUS G16 W11P 16" ATAU SETARA DENGANNYA <table><tr><td>PROCESSOR</td><td>AMD RYZEN AI 9 HX 370</td></tr><tr><td>MEMORY</td><td>32GB</td></tr><tr><td>STORAGE</td><td>2TB PCIE 4.0 NVM M.2 SSD</td></tr><tr><td>GRAPHIC CARD</td><td>NVIDIA GEFORCE RTX 4070</td></tr><tr><td>DISPLAY</td><td>ROG NEBULA DISPLAY 16-INCH 2.5K OLED 240HZ</td></tr><tr><td>CAMERA</td><td>1080P FHD IR CAMERA</td></tr><tr><td>OS</td><td>WINDOWS 11 PRO</td></tr><tr><td>AUDIO</td><td>4-SPEAKER, BUILT-IN 3-MICROPHONE</td></tr><tr><td>CONNECTIVITY</td><td>WI-FI 7(802.11BE) (TRIPLE BAND) 2*2+BLUETOOTH 5.4 WIRELESS CARD</td></tr><tr><td>KEYBOARD</td><td>BACKLIT CHICLET KEYBOARD 1-ZONE RGB</td></tr><tr><td>INTERFACE</td><td>1X 3.5MM COMBO AUDIO JACK</td></tr><tr><td></td><td>1X HDMI 2.1 FRL</td></tr><tr><td></td><td>2X USB 3.2 GEN 2 TYPE-A</td></tr><tr><td></td><td>1X USB 3.2 GEN 2 TYPE-C</td></tr><tr><td></td><td>1X TYPE-C USB 4</td></tr><tr><td></td><td>1X CARD READER (SD CARD)</td></tr><tr><td>ACCESSORIES</td><td>1X BACKPACK</td></tr><tr><td></td><td>1X WIRELESS MOUSE</td></tr></table>	PROCESSOR	AMD RYZEN AI 9 HX 370	MEMORY	32GB	STORAGE	2TB PCIE 4.0 NVM M.2 SSD	GRAPHIC CARD	NVIDIA GEFORCE RTX 4070	DISPLAY	ROG NEBULA DISPLAY 16-INCH 2.5K OLED 240HZ	CAMERA	1080P FHD IR CAMERA	OS	WINDOWS 11 PRO	AUDIO	4-SPEAKER, BUILT-IN 3-MICROPHONE	CONNECTIVITY	WI-FI 7(802.11BE) (TRIPLE BAND) 2*2+BLUETOOTH 5.4 WIRELESS CARD	KEYBOARD	BACKLIT CHICLET KEYBOARD 1-ZONE RGB	INTERFACE	1X 3.5MM COMBO AUDIO JACK		1X HDMI 2.1 FRL		2X USB 3.2 GEN 2 TYPE-A		1X USB 3.2 GEN 2 TYPE-C		1X TYPE-C USB 4		1X CARD READER (SD CARD)	ACCESSORIES	1X BACKPACK		1X WIRELESS MOUSE	UNIT	1		
PROCESSOR	AMD RYZEN AI 9 HX 370																																								
MEMORY	32GB																																								
STORAGE	2TB PCIE 4.0 NVM M.2 SSD																																								
GRAPHIC CARD	NVIDIA GEFORCE RTX 4070																																								
DISPLAY	ROG NEBULA DISPLAY 16-INCH 2.5K OLED 240HZ																																								
CAMERA	1080P FHD IR CAMERA																																								
OS	WINDOWS 11 PRO																																								
AUDIO	4-SPEAKER, BUILT-IN 3-MICROPHONE																																								
CONNECTIVITY	WI-FI 7(802.11BE) (TRIPLE BAND) 2*2+BLUETOOTH 5.4 WIRELESS CARD																																								
KEYBOARD	BACKLIT CHICLET KEYBOARD 1-ZONE RGB																																								
INTERFACE	1X 3.5MM COMBO AUDIO JACK																																								
	1X HDMI 2.1 FRL																																								
	2X USB 3.2 GEN 2 TYPE-A																																								
	1X USB 3.2 GEN 2 TYPE-C																																								
	1X TYPE-C USB 4																																								
	1X CARD READER (SD CARD)																																								
ACCESSORIES	1X BACKPACK																																								
	1X WIRELESS MOUSE																																								

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																																						
B.2	KOMPUTER RIBA I7 LENOVO LEGION SLIM 5 32-W11P ATAU SETARA DENGANNYA <table><tr><td>PROCESSOR</td><td>AMD RYZEN 7 8845HS</td></tr><tr><td>MEMORY</td><td>32GB</td></tr><tr><td>STORAGE</td><td>1TB M.2 2280 PCIE 4.0X4 NVME SSD</td></tr><tr><td>GRAPHIC</td><td>NVIDIA GEFORCE RTX 4060</td></tr><tr><td>DISPLAY</td><td>16" WQXGA IPS SRGB, 165HZ, DOLBY</td></tr><tr><td>CAMERA</td><td>FHD 1080P WITH E-SHUTTER</td></tr><tr><td>OS</td><td>WINDOWS 11 PRO</td></tr><tr><td>AUDIO</td><td>STEREO SPEAKERS, 2W X2, NAHIMIC AUDIO</td></tr><tr><td>CONNECTIVITY</td><td>WI-FI 6E, 11AX 2X2 + BT5.3</td></tr><tr><td>KEYBOARD</td><td>4-ZONE RGB BACKLIT, ENGLISH</td></tr><tr><td>INTERFACE</td><td>2X USB-A (USB 10GBPS / USB 3.2 GEN 2)</td></tr><tr><td></td><td>1X USB-C (USB 10GBPS / USB 3.2 GEN 2), WITH PD 140W AND DISPLAYPORT 1.4</td></tr><tr><td></td><td>1X USB-C</td></tr><tr><td></td><td>1X HDMI 2.1, UP TO 8K/60HZ</td></tr><tr><td></td><td>1X HEADPHONE / MICROPHONE COMBO JACK</td></tr><tr><td></td><td>1X ETHERNET (RJ-45)</td></tr><tr><td></td><td>1X CARD READER 1X POWER CONNECTOR</td></tr><tr><td>ACCESSORIES</td><td>1X LENOVO 300 WIRELESS COMPACT MOUSE</td></tr><tr><td></td><td>1X LENOVO LEGION 16" GAMING BACKPACK</td></tr></table>	PROCESSOR	AMD RYZEN 7 8845HS	MEMORY	32GB	STORAGE	1TB M.2 2280 PCIE 4.0X4 NVME SSD	GRAPHIC	NVIDIA GEFORCE RTX 4060	DISPLAY	16" WQXGA IPS SRGB, 165HZ, DOLBY	CAMERA	FHD 1080P WITH E-SHUTTER	OS	WINDOWS 11 PRO	AUDIO	STEREO SPEAKERS, 2W X2, NAHIMIC AUDIO	CONNECTIVITY	WI-FI 6E, 11AX 2X2 + BT5.3	KEYBOARD	4-ZONE RGB BACKLIT, ENGLISH	INTERFACE	2X USB-A (USB 10GBPS / USB 3.2 GEN 2)		1X USB-C (USB 10GBPS / USB 3.2 GEN 2), WITH PD 140W AND DISPLAYPORT 1.4		1X USB-C		1X HDMI 2.1, UP TO 8K/60HZ		1X HEADPHONE / MICROPHONE COMBO JACK		1X ETHERNET (RJ-45)		1X CARD READER 1X POWER CONNECTOR	ACCESSORIES	1X LENOVO 300 WIRELESS COMPACT MOUSE		1X LENOVO LEGION 16" GAMING BACKPACK	UNIT	25		
PROCESSOR	AMD RYZEN 7 8845HS																																										
MEMORY	32GB																																										
STORAGE	1TB M.2 2280 PCIE 4.0X4 NVME SSD																																										
GRAPHIC	NVIDIA GEFORCE RTX 4060																																										
DISPLAY	16" WQXGA IPS SRGB, 165HZ, DOLBY																																										
CAMERA	FHD 1080P WITH E-SHUTTER																																										
OS	WINDOWS 11 PRO																																										
AUDIO	STEREO SPEAKERS, 2W X2, NAHIMIC AUDIO																																										
CONNECTIVITY	WI-FI 6E, 11AX 2X2 + BT5.3																																										
KEYBOARD	4-ZONE RGB BACKLIT, ENGLISH																																										
INTERFACE	2X USB-A (USB 10GBPS / USB 3.2 GEN 2)																																										
	1X USB-C (USB 10GBPS / USB 3.2 GEN 2), WITH PD 140W AND DISPLAYPORT 1.4																																										
	1X USB-C																																										
	1X HDMI 2.1, UP TO 8K/60HZ																																										
	1X HEADPHONE / MICROPHONE COMBO JACK																																										
	1X ETHERNET (RJ-45)																																										
	1X CARD READER 1X POWER CONNECTOR																																										
ACCESSORIES	1X LENOVO 300 WIRELESS COMPACT MOUSE																																										
	1X LENOVO LEGION 16" GAMING BACKPACK																																										

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)					
B.3	KOMPUTER RIBA I5	UNIT	15							
	LENOVO THINKPAD E16 ATAU SETARA DENGANNYA									
	PROCESSOR					AMD RYZEN 5				
	MEMORY					16GB				
	STORAGE					512 GB M.2 2280 PCIE 4.0X4 NVME SSD				
	GRAPHIC					INTEGRATED AMD RADEON				
	DISPLAY					16" WUXGA IPS SRGB, 60HZ, DOLBY				
	CAMERA					1080P FHD WITH MICROPHONE AND PRIVACY SHUTTER				
	OS					WINDOWS 11 PRO				
	AUDIO					AUDIO BY HARMAN, DOLBY ATMOS, 2W X2 STEREO SPEAKERS				
	CONNECTIVITY					REALTEK 8852BE WI-FI 6 2X2AX + BT5.X				
	KEYBOARD					BACKLIT KEYBOARD				
	INTERFACE					2X USB-C				
						1X USB-A				
						1X HDMI 2.1, UP TO 8K/60HZ				
						1X ETHERNET (RJ- 45)				
						1X HEADPHONE / MICROPHONE COMBO JACK				
	ACCESSORIES					1X BACKPACK				
						1X WIRELESS MOUSE				
	JUMLAH KESELURUHAN (BIL B)									

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																																		
C	PERALATAN ICT																																						
C.1	TABLET 11 INCH IPAD PRO WIFI+CELLULAR ATAU SETARA DENGANNYA <table><tr><td>PROCESSOR</td><td>APPLE M4</td></tr><tr><td>RAM</td><td>8GB</td></tr><tr><td>STORAGE</td><td>256GB</td></tr><tr><td>SCREEN SIZE</td><td>11 INCH</td></tr><tr><td>DISPLAY</td><td>ULTRA RETINA XDR DISPLAY 2420X1668-PIXEL RESOLUTION 120HZ</td></tr><tr><td>CAMERA</td><td>12MP WIDE CAMERA, F/1.8 APERTURE DIGITAL ZOOM UP TO 5X</td></tr><tr><td>SPEAKER</td><td>FOUR SPEAKER AUDIO</td></tr><tr><td>MOBILE AND WIRELESS</td><td>WI-FI 6E (802.11AX) WITH 2X2 MIMO, BLUETOOTH 5.3</td></tr><tr><td></td><td>5G (SUB-6 GHZ) WITH 4X4 MIMO, GIGABIT LTE WITH 4X4 MIMO</td></tr><tr><td>SENSORS</td><td>FACE ID</td></tr><tr><td></td><td>LIDAR SCANNER</td></tr><tr><td></td><td>THREE-AXIS GYRO</td></tr><tr><td></td><td>ACCELEROMETER</td></tr><tr><td></td><td>BAROMETER</td></tr><tr><td></td><td>AMBIENT LIGHT SENSORS</td></tr><tr><td>ACCESSORIES</td><td>APPLE PENCIL PRO</td></tr><tr><td></td><td>IPAD PRO 11 M4 MAGNETIC PROFLIP CASE COVER, SCREEN PROTECTOR</td></tr></table>	PROCESSOR	APPLE M4	RAM	8GB	STORAGE	256GB	SCREEN SIZE	11 INCH	DISPLAY	ULTRA RETINA XDR DISPLAY 2420X1668-PIXEL RESOLUTION 120HZ	CAMERA	12MP WIDE CAMERA, F/1.8 APERTURE DIGITAL ZOOM UP TO 5X	SPEAKER	FOUR SPEAKER AUDIO	MOBILE AND WIRELESS	WI-FI 6E (802.11AX) WITH 2X2 MIMO, BLUETOOTH 5.3		5G (SUB-6 GHZ) WITH 4X4 MIMO, GIGABIT LTE WITH 4X4 MIMO	SENSORS	FACE ID		LIDAR SCANNER		THREE-AXIS GYRO		ACCELEROMETER		BAROMETER		AMBIENT LIGHT SENSORS	ACCESSORIES	APPLE PENCIL PRO		IPAD PRO 11 M4 MAGNETIC PROFLIP CASE COVER, SCREEN PROTECTOR	UNIT	35		
PROCESSOR	APPLE M4																																						
RAM	8GB																																						
STORAGE	256GB																																						
SCREEN SIZE	11 INCH																																						
DISPLAY	ULTRA RETINA XDR DISPLAY 2420X1668-PIXEL RESOLUTION 120HZ																																						
CAMERA	12MP WIDE CAMERA, F/1.8 APERTURE DIGITAL ZOOM UP TO 5X																																						
SPEAKER	FOUR SPEAKER AUDIO																																						
MOBILE AND WIRELESS	WI-FI 6E (802.11AX) WITH 2X2 MIMO, BLUETOOTH 5.3																																						
	5G (SUB-6 GHZ) WITH 4X4 MIMO, GIGABIT LTE WITH 4X4 MIMO																																						
SENSORS	FACE ID																																						
	LIDAR SCANNER																																						
	THREE-AXIS GYRO																																						
	ACCELEROMETER																																						
	BAROMETER																																						
	AMBIENT LIGHT SENSORS																																						
ACCESSORIES	APPLE PENCIL PRO																																						
	IPAD PRO 11 M4 MAGNETIC PROFLIP CASE COVER, SCREEN PROTECTOR																																						

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																				
C.2	TABLET SAMSUNG GALAXY TAB S10+ ATAU SETARA DENGANNYA <table><tr><td>PROCESSOR</td><td>MEDIATEK DIMENSITY 9300+</td></tr><tr><td>MEMORY</td><td>12GB</td></tr><tr><td>STORAGE</td><td>256GB NVME SSD</td></tr><tr><td>DISPLAY</td><td>DYNAMIC AMOLED 2X, 120HZ, HDR10+</td></tr><tr><td>CAMERA</td><td>13 MP, F/2.0, 26MM (WIDE), 1/3.4", AF 8 MP, F/2.2, (ULTRAWIDE), 12 MP (FRONT CAMERA)</td></tr><tr><td>OS</td><td>ANDROID 14, UP TO 4 MAJOR ANDROID UPGRADES, ONE UI 6.1</td></tr><tr><td>AUDIO</td><td>STEREO SPEAKERS (4 SPEAKERS)</td></tr><tr><td>CONNECTIVITY</td><td>WI-FI 802.11 A/B/G/N/AC/6E, TRI-BAND, WI-FI DIRECT + GSM/HSPA/LTE/5G</td></tr><tr><td>SENSORS</td><td>FINGERPRINT (UNDER DISPLAY, OPTICAL), ACCELEROMETER, GYRO, PROXIMITY, COMPASS</td></tr><tr><td>INCLUDE</td><td>S-PEN, COVER CASE, SCREEN PROTECTOR</td></tr></table>	PROCESSOR	MEDIATEK DIMENSITY 9300+	MEMORY	12GB	STORAGE	256GB NVME SSD	DISPLAY	DYNAMIC AMOLED 2X, 120HZ, HDR10+	CAMERA	13 MP, F/2.0, 26MM (WIDE), 1/3.4", AF 8 MP, F/2.2, (ULTRAWIDE), 12 MP (FRONT CAMERA)	OS	ANDROID 14, UP TO 4 MAJOR ANDROID UPGRADES, ONE UI 6.1	AUDIO	STEREO SPEAKERS (4 SPEAKERS)	CONNECTIVITY	WI-FI 802.11 A/B/G/N/AC/6E, TRI-BAND, WI-FI DIRECT + GSM/HSPA/LTE/5G	SENSORS	FINGERPRINT (UNDER DISPLAY, OPTICAL), ACCELEROMETER, GYRO, PROXIMITY, COMPASS	INCLUDE	S-PEN, COVER CASE, SCREEN PROTECTOR	UNIT	4		
PROCESSOR	MEDIATEK DIMENSITY 9300+																								
MEMORY	12GB																								
STORAGE	256GB NVME SSD																								
DISPLAY	DYNAMIC AMOLED 2X, 120HZ, HDR10+																								
CAMERA	13 MP, F/2.0, 26MM (WIDE), 1/3.4", AF 8 MP, F/2.2, (ULTRAWIDE), 12 MP (FRONT CAMERA)																								
OS	ANDROID 14, UP TO 4 MAJOR ANDROID UPGRADES, ONE UI 6.1																								
AUDIO	STEREO SPEAKERS (4 SPEAKERS)																								
CONNECTIVITY	WI-FI 802.11 A/B/G/N/AC/6E, TRI-BAND, WI-FI DIRECT + GSM/HSPA/LTE/5G																								
SENSORS	FINGERPRINT (UNDER DISPLAY, OPTICAL), ACCELEROMETER, GYRO, PROXIMITY, COMPASS																								
INCLUDE	S-PEN, COVER CASE, SCREEN PROTECTOR																								

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																																										
C.3	SMARTBOARD ARVIA SMARTBOARD WINDOWS - ARV100 75" ATAU SETARA DENGANNYA (TERMASUK PORTABLE STAND) <table><tr><td>PROCESSOR</td><td>INTEL CORE I5</td></tr><tr><td>MEMORY</td><td>8GB</td></tr><tr><td>STORAGE</td><td>512 GB SSD</td></tr><tr><td>GRAPHIC</td><td>INTEL UHD GRAPHICS</td></tr><tr><td>OS</td><td>WINDOWS 11 PRO</td></tr><tr><td>CONNECTIVITY</td><td>WI-FI 802.11 A/B/G</td></tr><tr><td>INTERFACE</td><td>6X USB 3.0</td></tr><tr><td></td><td>1X DISPLAYPORT</td></tr><tr><td></td><td>1X HDMI 2.1</td></tr><tr><td></td><td>1X VGA</td></tr><tr><td></td><td>1X 3.5MM AUDIO</td></tr><tr><td></td><td>2X ETHERNET (RJ45)</td></tr><tr><td>PANEL SIZE</td><td>75"</td></tr><tr><td>RESOLUTION</td><td>3840 X 2160</td></tr><tr><td>BACK LIGHT</td><td>DLED</td></tr><tr><td>PANEL LIFE</td><td>OVER 50000 HOURS</td></tr><tr><td>TOUCH SCREEN</td><td>ZERO BONDING IR TOUCH</td></tr><tr><td>TOUCH POINTS</td><td>20 TOUCH POINTS</td></tr><tr><td>AUDIO</td><td>2W STEREO SPEAKERS</td></tr><tr><td>CAMERA</td><td>ARVIA EPTZ CAMERA ARV-VC1702</td></tr><tr><td>ACCESSORIES</td><td>2X PEN, PORTABLE STAND</td></tr></table>	PROCESSOR	INTEL CORE I5	MEMORY	8GB	STORAGE	512 GB SSD	GRAPHIC	INTEL UHD GRAPHICS	OS	WINDOWS 11 PRO	CONNECTIVITY	WI-FI 802.11 A/B/G	INTERFACE	6X USB 3.0		1X DISPLAYPORT		1X HDMI 2.1		1X VGA		1X 3.5MM AUDIO		2X ETHERNET (RJ45)	PANEL SIZE	75"	RESOLUTION	3840 X 2160	BACK LIGHT	DLED	PANEL LIFE	OVER 50000 HOURS	TOUCH SCREEN	ZERO BONDING IR TOUCH	TOUCH POINTS	20 TOUCH POINTS	AUDIO	2W STEREO SPEAKERS	CAMERA	ARVIA EPTZ CAMERA ARV-VC1702	ACCESSORIES	2X PEN, PORTABLE STAND	UNIT	4		
PROCESSOR	INTEL CORE I5																																														
MEMORY	8GB																																														
STORAGE	512 GB SSD																																														
GRAPHIC	INTEL UHD GRAPHICS																																														
OS	WINDOWS 11 PRO																																														
CONNECTIVITY	WI-FI 802.11 A/B/G																																														
INTERFACE	6X USB 3.0																																														
	1X DISPLAYPORT																																														
	1X HDMI 2.1																																														
	1X VGA																																														
	1X 3.5MM AUDIO																																														
	2X ETHERNET (RJ45)																																														
PANEL SIZE	75"																																														
RESOLUTION	3840 X 2160																																														
BACK LIGHT	DLED																																														
PANEL LIFE	OVER 50000 HOURS																																														
TOUCH SCREEN	ZERO BONDING IR TOUCH																																														
TOUCH POINTS	20 TOUCH POINTS																																														
AUDIO	2W STEREO SPEAKERS																																														
CAMERA	ARVIA EPTZ CAMERA ARV-VC1702																																														
ACCESSORIES	2X PEN, PORTABLE STAND																																														

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																														
C.4	KIOSK SCREEN (INTERACTIVE) ARVIA FLOOR STANDING KIOSK - ROTATABLE (FLR101W) ATAU SETARA DENGANNYA <table><tr><td>PANEL TYPE</td><td>55" REAL COLOR LCD SCREEN</td></tr><tr><td>RESOLUTION</td><td>1920 X 1080 PIXELS</td></tr><tr><td>BACK LIGHT</td><td>DLED</td></tr><tr><td>TOUCH TECHNOLOGY</td><td>CAPACITVE, 20 TOUCH POINTS</td></tr><tr><td>INTERFACE</td><td>USB,HDMI,VGA,RJ45</td></tr><tr><td>PANEL LIFE</td><td>OVER 50,000 HOURS</td></tr><tr><td>AUDIO</td><td>BUILT-IN 10W X 2 (STEREO)</td></tr><tr><td>CONTENT MANAGEMENT</td><td>CDMS (CLOUD-BASED)</td></tr><tr><td>VIDEO FORMAT</td><td>MPEG1, MPEG2, MPEG4, H.264</td></tr><tr><td>IMAGE FORMAT</td><td>JPG</td></tr><tr><td>ACCESSORIES</td><td>CASTOR WHEELS, REMOTE CONTROL, & KEY</td></tr></table>	PANEL TYPE	55" REAL COLOR LCD SCREEN	RESOLUTION	1920 X 1080 PIXELS	BACK LIGHT	DLED	TOUCH TECHNOLOGY	CAPACITVE, 20 TOUCH POINTS	INTERFACE	USB,HDMI,VGA,RJ45	PANEL LIFE	OVER 50,000 HOURS	AUDIO	BUILT-IN 10W X 2 (STEREO)	CONTENT MANAGEMENT	CDMS (CLOUD-BASED)	VIDEO FORMAT	MPEG1, MPEG2, MPEG4, H.264	IMAGE FORMAT	JPG	ACCESSORIES	CASTOR WHEELS, REMOTE CONTROL, & KEY	UNIT	9										
PANEL TYPE	55" REAL COLOR LCD SCREEN																																		
RESOLUTION	1920 X 1080 PIXELS																																		
BACK LIGHT	DLED																																		
TOUCH TECHNOLOGY	CAPACITVE, 20 TOUCH POINTS																																		
INTERFACE	USB,HDMI,VGA,RJ45																																		
PANEL LIFE	OVER 50,000 HOURS																																		
AUDIO	BUILT-IN 10W X 2 (STEREO)																																		
CONTENT MANAGEMENT	CDMS (CLOUD-BASED)																																		
VIDEO FORMAT	MPEG1, MPEG2, MPEG4, H.264																																		
IMAGE FORMAT	JPG																																		
ACCESSORIES	CASTOR WHEELS, REMOTE CONTROL, & KEY																																		
C.5	MONITOR 34" SAMSUNG ODYSSEY G5 34" ATAU SETARA DENGANNYA <table><tr><td>SCREEN SIZE</td><td>34"</td></tr><tr><td>FLAT / CURVED</td><td>CURVED</td></tr><tr><td>PANEL TYPE</td><td>VA</td></tr><tr><td>BRIGHTNESS (TYPICAL)</td><td>250 CD/M2</td></tr><tr><td>CONTRAST RATIO STATIC</td><td>2500 : 1</td></tr><tr><td>HIGH DYNAMIC RANGE</td><td>HDR10</td></tr><tr><td>RESOLUTION</td><td>3,440 X 1,440</td></tr><tr><td>RESPONSE TIME</td><td>1MS (MPRT)</td></tr><tr><td>VIEWING ANGLE (H/V)</td><td>178</td></tr><tr><td>REFRESH RATE</td><td>MAX 165HZ</td></tr><tr><td>GENERAL FEATURE</td><td>EYE SAVER MODE</td></tr><tr><td>FREESYNC</td><td>FREESYNC PREMIUM</td></tr><tr><td>INTERFACE</td><td>1X DISPLAY PORT</td></tr><tr><td></td><td>1X HDMI</td></tr><tr><td></td><td>1X HEADPHONE PORT</td></tr></table>	SCREEN SIZE	34"	FLAT / CURVED	CURVED	PANEL TYPE	VA	BRIGHTNESS (TYPICAL)	250 CD/M2	CONTRAST RATIO STATIC	2500 : 1	HIGH DYNAMIC RANGE	HDR10	RESOLUTION	3,440 X 1,440	RESPONSE TIME	1MS (MPRT)	VIEWING ANGLE (H/V)	178	REFRESH RATE	MAX 165HZ	GENERAL FEATURE	EYE SAVER MODE	FREESYNC	FREESYNC PREMIUM	INTERFACE	1X DISPLAY PORT		1X HDMI		1X HEADPHONE PORT	UNIT	3		
SCREEN SIZE	34"																																		
FLAT / CURVED	CURVED																																		
PANEL TYPE	VA																																		
BRIGHTNESS (TYPICAL)	250 CD/M2																																		
CONTRAST RATIO STATIC	2500 : 1																																		
HIGH DYNAMIC RANGE	HDR10																																		
RESOLUTION	3,440 X 1,440																																		
RESPONSE TIME	1MS (MPRT)																																		
VIEWING ANGLE (H/V)	178																																		
REFRESH RATE	MAX 165HZ																																		
GENERAL FEATURE	EYE SAVER MODE																																		
FREESYNC	FREESYNC PREMIUM																																		
INTERFACE	1X DISPLAY PORT																																		
	1X HDMI																																		
	1X HEADPHONE PORT																																		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																				
C.6	3D PRINTER CREALITY K1 HIGH SPEED FDM 3D PRINTER ATAU SETARA DENGANNYA <table><tr><td>PRINT TECHNOLOGY</td><td>FDM</td></tr><tr><td>EXTRUDER</td><td>SPRITE DIRECT DRIVE</td></tr><tr><td>SUPPORTED PLA/TPU/PETG/ABS/PET/CARBON FILAMENT</td><td></td></tr><tr><td>MAX. NOZZLE TEMPERATURE</td><td>300 CELCIUS</td></tr><tr><td>MAX. HEATED BED TEMPERATURE</td><td>100 CELCIUS</td></tr><tr><td>USER INTERFACE</td><td>4.3 INCH TOUCH SCREEN</td></tr><tr><td>PRINT LNTERFACE</td><td>USB FLASH DISK/LAN PRINTING</td></tr><tr><td>POWER LOSS RECOVERY</td><td>YES</td></tr><tr><td>FILAMENT DETECTION</td><td>YES</td></tr><tr><td>AUTO LEVELING</td><td>YES</td></tr></table>	PRINT TECHNOLOGY	FDM	EXTRUDER	SPRITE DIRECT DRIVE	SUPPORTED PLA/TPU/PETG/ABS/PET/CARBON FILAMENT		MAX. NOZZLE TEMPERATURE	300 CELCIUS	MAX. HEATED BED TEMPERATURE	100 CELCIUS	USER INTERFACE	4.3 INCH TOUCH SCREEN	PRINT LNTERFACE	USB FLASH DISK/LAN PRINTING	POWER LOSS RECOVERY	YES	FILAMENT DETECTION	YES	AUTO LEVELING	YES	UNIT	1		
PRINT TECHNOLOGY	FDM																								
EXTRUDER	SPRITE DIRECT DRIVE																								
SUPPORTED PLA/TPU/PETG/ABS/PET/CARBON FILAMENT																									
MAX. NOZZLE TEMPERATURE	300 CELCIUS																								
MAX. HEATED BED TEMPERATURE	100 CELCIUS																								
USER INTERFACE	4.3 INCH TOUCH SCREEN																								
PRINT LNTERFACE	USB FLASH DISK/LAN PRINTING																								
POWER LOSS RECOVERY	YES																								
FILAMENT DETECTION	YES																								
AUTO LEVELING	YES																								
JUMLAH KESELURUHAN (BIL C)																									

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																														
D	PERALATAN SOKONGAN ICT																																		
D.1	MONITOR SAMSUNG ODYSSEY G5 27" ATAU SETARA DENGANNYA <table><tr><td>SCREEN SIZE</td><td>27"</td></tr><tr><td>FLAT / CURVED</td><td>FLAT</td></tr><tr><td>PANEL TYPE</td><td>VA</td></tr><tr><td>BRIGHTNESS (TYPICAL)</td><td>300 CD/M2</td></tr><tr><td>CONTRAST RATIO STATIC</td><td>2500 : 1</td></tr><tr><td>HIGH DYNAMIC RANGE</td><td>HDR10</td></tr><tr><td>RESOLUTION</td><td>3,440 X 1,440</td></tr><tr><td>RESPONSE TIME</td><td>1MS (MPRT)</td></tr><tr><td>VIEWING ANGLE (H/V)</td><td>178</td></tr><tr><td>REFRESH RATE</td><td>MAX 165HZ</td></tr><tr><td>GENERAL FEATURE</td><td>EYE SAVER MODE</td></tr><tr><td>FREESYNC</td><td>FREESYNC PREMIUM</td></tr><tr><td>INTERFACE</td><td>1X DISPLAY PORT</td></tr><tr><td></td><td>2X HDMI</td></tr><tr><td></td><td>1X HEADPHONE PORT</td></tr></table>	SCREEN SIZE	27"	FLAT / CURVED	FLAT	PANEL TYPE	VA	BRIGHTNESS (TYPICAL)	300 CD/M2	CONTRAST RATIO STATIC	2500 : 1	HIGH DYNAMIC RANGE	HDR10	RESOLUTION	3,440 X 1,440	RESPONSE TIME	1MS (MPRT)	VIEWING ANGLE (H/V)	178	REFRESH RATE	MAX 165HZ	GENERAL FEATURE	EYE SAVER MODE	FREESYNC	FREESYNC PREMIUM	INTERFACE	1X DISPLAY PORT		2X HDMI		1X HEADPHONE PORT	UNIT	26		
SCREEN SIZE	27"																																		
FLAT / CURVED	FLAT																																		
PANEL TYPE	VA																																		
BRIGHTNESS (TYPICAL)	300 CD/M2																																		
CONTRAST RATIO STATIC	2500 : 1																																		
HIGH DYNAMIC RANGE	HDR10																																		
RESOLUTION	3,440 X 1,440																																		
RESPONSE TIME	1MS (MPRT)																																		
VIEWING ANGLE (H/V)	178																																		
REFRESH RATE	MAX 165HZ																																		
GENERAL FEATURE	EYE SAVER MODE																																		
FREESYNC	FREESYNC PREMIUM																																		
INTERFACE	1X DISPLAY PORT																																		
	2X HDMI																																		
	1X HEADPHONE PORT																																		
D.2	APPLE MAGIC MOUSE 2 APPLE MAGIC MOUSE 2 ATAU SETARA DENGANNYA <table><tr><td>CONNECTIVITY</td><td>WIRELESS</td></tr><tr><td>FEATURES</td><td>SCROLLING, GESTURE FUNCTION</td></tr><tr><td>INTERFACE</td><td>BLUETOOTH</td></tr><tr><td>MULTI-TOUCH</td><td>YES</td></tr><tr><td>RECHARGEABLE</td><td>YES</td></tr></table>	CONNECTIVITY	WIRELESS	FEATURES	SCROLLING, GESTURE FUNCTION	INTERFACE	BLUETOOTH	MULTI-TOUCH	YES	RECHARGEABLE	YES	UNIT	9																						
CONNECTIVITY	WIRELESS																																		
FEATURES	SCROLLING, GESTURE FUNCTION																																		
INTERFACE	BLUETOOTH																																		
MULTI-TOUCH	YES																																		
RECHARGEABLE	YES																																		
D.3	RAM 16GB KINGSTON FURY BEAST BLACK 16GB DDR4 (DESKTOP) ATAU SETARA DENGANNYA <table><tr><td>CAPACITY</td><td>16GB</td></tr><tr><td>TYPE</td><td>DDR4 UDIMM</td></tr><tr><td>SPEED</td><td>3600MHZ</td></tr><tr><td>LATENCY</td><td>CL16</td></tr></table>	CAPACITY	16GB	TYPE	DDR4 UDIMM	SPEED	3600MHZ	LATENCY	CL16	UNIT	20																								
CAPACITY	16GB																																		
TYPE	DDR4 UDIMM																																		
SPEED	3600MHZ																																		
LATENCY	CL16																																		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																		
D.4	EXTERNAL SSD 2TB SANDISK EXTREME PORTABLE SSD V2 USB 3.2 TYPE-C 2TB ATAU SETARA DENGANNYA <table><tr><td>STORAGE SIZE</td><td>2 TB</td></tr><tr><td>DRIVE TYPE</td><td>SSD</td></tr><tr><td>SYSTEM CONNECTION</td><td>USB-C 3.1/3.2 GEN 2</td></tr><tr><td>READ SPEED</td><td>MAXIMUM: 1050 MB/S</td></tr><tr><td>WRITE SPEED</td><td>MAXIMUM: 1000 MB/S</td></tr><tr><td>ENVIRONMENTAL RESISTANCE</td><td>DUST/WATER-RESISTANT (IP65)</td></tr></table>	STORAGE SIZE	2 TB	DRIVE TYPE	SSD	SYSTEM CONNECTION	USB-C 3.1/3.2 GEN 2	READ SPEED	MAXIMUM: 1050 MB/S	WRITE SPEED	MAXIMUM: 1000 MB/S	ENVIRONMENTAL RESISTANCE	DUST/WATER-RESISTANT (IP65)	UNIT	20								
STORAGE SIZE	2 TB																						
DRIVE TYPE	SSD																						
SYSTEM CONNECTION	USB-C 3.1/3.2 GEN 2																						
READ SPEED	MAXIMUM: 1050 MB/S																						
WRITE SPEED	MAXIMUM: 1000 MB/S																						
ENVIRONMENTAL RESISTANCE	DUST/WATER-RESISTANT (IP65)																						
D.5	HARD DISK 1TB SEAGATE ONE TOUCH 1TB ATAU SETARA DENGANNYA <table><tr><td>CAPACITY</td><td>1TB</td></tr><tr><td>INTERFACE</td><td>USB 3.2 GEN 1</td></tr><tr><td>CONNECTIVITY</td><td>USB-A CONNECTOR</td></tr><tr><td>FORM FACTOR</td><td>2.5-INCH EXTERNAL HARD DRIVE</td></tr></table>	CAPACITY	1TB	INTERFACE	USB 3.2 GEN 1	CONNECTIVITY	USB-A CONNECTOR	FORM FACTOR	2.5-INCH EXTERNAL HARD DRIVE	UNIT	4												
CAPACITY	1TB																						
INTERFACE	USB 3.2 GEN 1																						
CONNECTIVITY	USB-A CONNECTOR																						
FORM FACTOR	2.5-INCH EXTERNAL HARD DRIVE																						
D.6	SANDISK MEMORY CARD 64GB SANDISK EXTREME PRO SDXC UHS-II CARD 64GB V90 U3 CLASS 10 ATAU SETARA DENGANNYA <table><tr><td>CARD TYPE</td><td>SDXC</td></tr><tr><td>STORAGE CAPACITY</td><td>64 GB</td></tr><tr><td>BUS TYPE</td><td>UHS-II</td></tr><tr><td>SPEED CLASS</td><td>10</td></tr><tr><td>UHS SPEED CLASS</td><td>U3</td></tr><tr><td>VIDEO SPEED CLASS</td><td>V90</td></tr><tr><td>READ SPEED</td><td>MAXIMUM: 300 MB/S</td></tr><tr><td>WRITE SPEED</td><td>MAXIMUM: 260 MB/S</td></tr><tr><td></td><td>MINIMUM: 90 MB/S</td></tr></table>	CARD TYPE	SDXC	STORAGE CAPACITY	64 GB	BUS TYPE	UHS-II	SPEED CLASS	10	UHS SPEED CLASS	U3	VIDEO SPEED CLASS	V90	READ SPEED	MAXIMUM: 300 MB/S	WRITE SPEED	MAXIMUM: 260 MB/S		MINIMUM: 90 MB/S	UNIT	4		
CARD TYPE	SDXC																						
STORAGE CAPACITY	64 GB																						
BUS TYPE	UHS-II																						
SPEED CLASS	10																						
UHS SPEED CLASS	U3																						
VIDEO SPEED CLASS	V90																						
READ SPEED	MAXIMUM: 300 MB/S																						
WRITE SPEED	MAXIMUM: 260 MB/S																						
	MINIMUM: 90 MB/S																						

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)														
D.7	PENDRIVE 256GB USB FLASH DRIVE SANDISK ULTRA DUAL DRIVE GO USB TYPE-C 256GB ATAU SETARA DENGANNYA <table><tr><td>CAPACITY</td><td>256GB</td></tr><tr><td>INTERFACE</td><td>USB 3.1 TYPE-C AND USB TYPE-A</td></tr><tr><td>READ SPEED</td><td>UP TO 150 MB/S (150 MEGABYTES PER SECOND)</td></tr><tr><td>WRITE SPEED</td><td>15-30 MB/S</td></tr><tr><td>COMPATIBILITY</td><td>COMPATIBLE WITH USB TYPE-C SMARTPHONES, TABLETS, AND MACS, AS WELL AS USB TYPE-A COMPUTERS</td></tr><tr><td>ENCRYPTION</td><td>SUPPORTS ENCRYPTION FOR SECURE DATA TRANSFER</td></tr></table>	CAPACITY	256GB	INTERFACE	USB 3.1 TYPE-C AND USB TYPE-A	READ SPEED	UP TO 150 MB/S (150 MEGABYTES PER SECOND)	WRITE SPEED	15-30 MB/S	COMPATIBILITY	COMPATIBLE WITH USB TYPE-C SMARTPHONES, TABLETS, AND MACS, AS WELL AS USB TYPE-A COMPUTERS	ENCRYPTION	SUPPORTS ENCRYPTION FOR SECURE DATA TRANSFER	UNIT	8				
CAPACITY	256GB																		
INTERFACE	USB 3.1 TYPE-C AND USB TYPE-A																		
READ SPEED	UP TO 150 MB/S (150 MEGABYTES PER SECOND)																		
WRITE SPEED	15-30 MB/S																		
COMPATIBILITY	COMPATIBLE WITH USB TYPE-C SMARTPHONES, TABLETS, AND MACS, AS WELL AS USB TYPE-A COMPUTERS																		
ENCRYPTION	SUPPORTS ENCRYPTION FOR SECURE DATA TRANSFER																		
D.8	NAS HDD 16TB NAS HDD 16TB (SYNOLOGY) ATAU SETARA DENGANNYA <table><tr><td>STORAGE CAPACITY</td><td>16TB</td></tr><tr><td>FORM FACTOR</td><td>3.5 INCH</td></tr><tr><td>INTERFACE</td><td>SATA III 6 GB/S</td></tr><tr><td>CACHE</td><td>512MB CACHE</td></tr><tr><td>ROTATIONAL SPEED</td><td>7200 RPM</td></tr><tr><td>COMPATIBILITY</td><td>RAID-OPTIMIZED NAS SYSTEMS WITH UNLIMITED# OF BAYS</td></tr><tr><td>MEAN TIME TO FAILURE</td><td>2.5 MILLION HOURS</td></tr></table>	STORAGE CAPACITY	16TB	FORM FACTOR	3.5 INCH	INTERFACE	SATA III 6 GB/S	CACHE	512MB CACHE	ROTATIONAL SPEED	7200 RPM	COMPATIBILITY	RAID-OPTIMIZED NAS SYSTEMS WITH UNLIMITED# OF BAYS	MEAN TIME TO FAILURE	2.5 MILLION HOURS	UNIT	12		
STORAGE CAPACITY	16TB																		
FORM FACTOR	3.5 INCH																		
INTERFACE	SATA III 6 GB/S																		
CACHE	512MB CACHE																		
ROTATIONAL SPEED	7200 RPM																		
COMPATIBILITY	RAID-OPTIMIZED NAS SYSTEMS WITH UNLIMITED# OF BAYS																		
MEAN TIME TO FAILURE	2.5 MILLION HOURS																		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																								
D.9	WIRELESS KEYBOARD + MOUSE LOGITECH MK270R WIRELESS MOUSE + KEYBOARD COMBO ATAU SETARA DENGANNYA <table><tr><td>KEYBOARD</td><td>FULL-SIZE KEYBOARD WITH SPILL-RESISTANT DESIGN, 8 MULTIMEDIA AND SHORTCUT KEYS, AND A BATTERY LIFE OF UP TO 36 MONTHS.</td></tr><tr><td>MOUSE</td><td>COMPACT AND AMBIDEXTROUS MOUSE WITH A BATTERY LIFE OF UP TO 12 MONTHS AND PRECISE CURSOR CONTROL.</td></tr><tr><td>CONNECTIVITY</td><td>2.4 GHZ WIRELESS CONNECTION WITH A RANGE OF UP TO 10 METERS (33 FEET) AND A TINY USB RECEIVER.</td></tr></table>	KEYBOARD	FULL-SIZE KEYBOARD WITH SPILL-RESISTANT DESIGN, 8 MULTIMEDIA AND SHORTCUT KEYS, AND A BATTERY LIFE OF UP TO 36 MONTHS.	MOUSE	COMPACT AND AMBIDEXTROUS MOUSE WITH A BATTERY LIFE OF UP TO 12 MONTHS AND PRECISE CURSOR CONTROL.	CONNECTIVITY	2.4 GHZ WIRELESS CONNECTION WITH A RANGE OF UP TO 10 METERS (33 FEET) AND A TINY USB RECEIVER.	UNIT	30																				
KEYBOARD	FULL-SIZE KEYBOARD WITH SPILL-RESISTANT DESIGN, 8 MULTIMEDIA AND SHORTCUT KEYS, AND A BATTERY LIFE OF UP TO 36 MONTHS.																												
MOUSE	COMPACT AND AMBIDEXTROUS MOUSE WITH A BATTERY LIFE OF UP TO 12 MONTHS AND PRECISE CURSOR CONTROL.																												
CONNECTIVITY	2.4 GHZ WIRELESS CONNECTION WITH A RANGE OF UP TO 10 METERS (33 FEET) AND A TINY USB RECEIVER.																												
D.10	WIRELESS MECHANICAL KEYBOARD TECWARE SPECTRE 75 (HITAM) ATAU SETARA DENGANNYA <table><tr><td>KEY SWITCH</td><td>LINEAR VIRIDIAN SWITCH</td></tr><tr><td>LAYOUT</td><td>81-KEY 75% LAYOUT</td></tr><tr><td>SWITCH LIFESPAN</td><td>50 MILLION KEYSTROKES</td></tr><tr><td>SWITCH TYPE</td><td>RED PRE-LUBED SWITCHES</td></tr><tr><td>LIGHTING</td><td>RGB BACKLIGHTING</td></tr><tr><td>COLOUR</td><td>BLACK</td></tr><tr><td>MEDIA KEYS</td><td>YES</td></tr><tr><td>LAYOUT</td><td>US QWERTY</td></tr><tr><td>INTERNAL BATTERY</td><td>4000MAH</td></tr><tr><td>DISPLAY</td><td>1.14" CUSTOMIZABLE</td></tr><tr><td>CONNECTIVITY</td><td>WIRELESS 2.4GHZ / BLUETOOTH/ WIRED</td></tr><tr><td>KEYCAP TYPE</td><td>DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS</td></tr></table>	KEY SWITCH	LINEAR VIRIDIAN SWITCH	LAYOUT	81-KEY 75% LAYOUT	SWITCH LIFESPAN	50 MILLION KEYSTROKES	SWITCH TYPE	RED PRE-LUBED SWITCHES	LIGHTING	RGB BACKLIGHTING	COLOUR	BLACK	MEDIA KEYS	YES	LAYOUT	US QWERTY	INTERNAL BATTERY	4000MAH	DISPLAY	1.14" CUSTOMIZABLE	CONNECTIVITY	WIRELESS 2.4GHZ / BLUETOOTH/ WIRED	KEYCAP TYPE	DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS	UNIT	1		
KEY SWITCH	LINEAR VIRIDIAN SWITCH																												
LAYOUT	81-KEY 75% LAYOUT																												
SWITCH LIFESPAN	50 MILLION KEYSTROKES																												
SWITCH TYPE	RED PRE-LUBED SWITCHES																												
LIGHTING	RGB BACKLIGHTING																												
COLOUR	BLACK																												
MEDIA KEYS	YES																												
LAYOUT	US QWERTY																												
INTERNAL BATTERY	4000MAH																												
DISPLAY	1.14" CUSTOMIZABLE																												
CONNECTIVITY	WIRELESS 2.4GHZ / BLUETOOTH/ WIRED																												
KEYCAP TYPE	DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS																												

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																								
D.11	WIRELESS MECHANICAL KEYBOARD TECWARE SPECTRE 96 (HITAM) ATAU SETARA DENGANNYA <table><tr><td>KEY SWITCH</td><td>LINEAR VIRIDIAN SWITCH</td></tr><tr><td>LAYOUT</td><td>96-KEY 96% LAYOUT</td></tr><tr><td>SWITCH LIFESPAN</td><td>50 MILLION KEYSTROKES</td></tr><tr><td>SWITCH TYPE</td><td>RED PRE-LUBED SWITCHES</td></tr><tr><td>LIGHTING</td><td>RGB BACKLIGHTING</td></tr><tr><td>COLOUR</td><td>BLACK</td></tr><tr><td>MEDIA KEYS</td><td>YES</td></tr><tr><td>LAYOUT</td><td>US QWERTY</td></tr><tr><td>INTERNAL BATTERY</td><td>4000MAH</td></tr><tr><td>DISPLAY</td><td>1.14" CUSTOMIZABLE</td></tr><tr><td>CONNECTIVITY</td><td>WIRELESS 2.4GHZ / BLUETOOTH/ WIRED</td></tr><tr><td>KEYCAP TYPE</td><td>DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS</td></tr></table>	KEY SWITCH	LINEAR VIRIDIAN SWITCH	LAYOUT	96-KEY 96% LAYOUT	SWITCH LIFESPAN	50 MILLION KEYSTROKES	SWITCH TYPE	RED PRE-LUBED SWITCHES	LIGHTING	RGB BACKLIGHTING	COLOUR	BLACK	MEDIA KEYS	YES	LAYOUT	US QWERTY	INTERNAL BATTERY	4000MAH	DISPLAY	1.14" CUSTOMIZABLE	CONNECTIVITY	WIRELESS 2.4GHZ / BLUETOOTH/ WIRED	KEYCAP TYPE	DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS	UNIT	8		
KEY SWITCH	LINEAR VIRIDIAN SWITCH																												
LAYOUT	96-KEY 96% LAYOUT																												
SWITCH LIFESPAN	50 MILLION KEYSTROKES																												
SWITCH TYPE	RED PRE-LUBED SWITCHES																												
LIGHTING	RGB BACKLIGHTING																												
COLOUR	BLACK																												
MEDIA KEYS	YES																												
LAYOUT	US QWERTY																												
INTERNAL BATTERY	4000MAH																												
DISPLAY	1.14" CUSTOMIZABLE																												
CONNECTIVITY	WIRELESS 2.4GHZ / BLUETOOTH/ WIRED																												
KEYCAP TYPE	DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS																												

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																								
D.12	WIRELESS MECHANICAL KEYBOARD TECWARE SPECTRE 96 (PUTIH) ATAU SETARA DENGANNYA <table><tr><td>KEY SWITCH</td><td>LINEAR VIRIDIAN SWITCH</td></tr><tr><td>LAYOUT</td><td>96-KEY 96% LAYOUT</td></tr><tr><td>SWITCH LIFESPAN</td><td>50 MILLION KEYSTROKES</td></tr><tr><td>SWITCH TYPE</td><td>RED PRE-LUBED SWITCHES</td></tr><tr><td>LIGHTING</td><td>RGB BACKLIGHTING</td></tr><tr><td>COLOUR</td><td>WHITE</td></tr><tr><td>MEDIA KEYS</td><td>YES</td></tr><tr><td>LAYOUT</td><td>US QWERTY</td></tr><tr><td>INTERNAL BATTERY</td><td>4000MAH</td></tr><tr><td>DISPLAY</td><td>1.14" CUSTOMIZABLE</td></tr><tr><td>CONNECTIVITY</td><td>WIRELESS 2.4GHZ / BLUETOOTH/ WIRED</td></tr><tr><td>KEYCAP TYPE</td><td>DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS</td></tr></table>	KEY SWITCH	LINEAR VIRIDIAN SWITCH	LAYOUT	96-KEY 96% LAYOUT	SWITCH LIFESPAN	50 MILLION KEYSTROKES	SWITCH TYPE	RED PRE-LUBED SWITCHES	LIGHTING	RGB BACKLIGHTING	COLOUR	WHITE	MEDIA KEYS	YES	LAYOUT	US QWERTY	INTERNAL BATTERY	4000MAH	DISPLAY	1.14" CUSTOMIZABLE	CONNECTIVITY	WIRELESS 2.4GHZ / BLUETOOTH/ WIRED	KEYCAP TYPE	DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS	UNIT	2		
KEY SWITCH	LINEAR VIRIDIAN SWITCH																												
LAYOUT	96-KEY 96% LAYOUT																												
SWITCH LIFESPAN	50 MILLION KEYSTROKES																												
SWITCH TYPE	RED PRE-LUBED SWITCHES																												
LIGHTING	RGB BACKLIGHTING																												
COLOUR	WHITE																												
MEDIA KEYS	YES																												
LAYOUT	US QWERTY																												
INTERNAL BATTERY	4000MAH																												
DISPLAY	1.14" CUSTOMIZABLE																												
CONNECTIVITY	WIRELESS 2.4GHZ / BLUETOOTH/ WIRED																												
KEYCAP TYPE	DOUBLE-SHOT, NON-SHINETHROUGH, PBT KEYCAPS																												
D.13	MAGIC KEYBOARD MAGIC KEYBOARD FOR IPAD PRO 11-INCH ATAU SETARA DENGANNYA <table><tr><td>CHARGING INTERFACE</td><td>USB-C (PASS-THROUGH CHARGING)</td></tr><tr><td>FEATURES</td><td>BACKLIT KEYPAD</td></tr><tr><td></td><td>BUILT-IN TRACKPAD</td></tr><tr><td></td><td>TWO-CANTILEVER-HINGE DESIGN</td></tr><tr><td></td><td>14-KEY QUICK ACCESS FUNCTION</td></tr><tr><td>COMPATIBILITY</td><td>IPAD 11-INCH</td></tr></table>	CHARGING INTERFACE	USB-C (PASS-THROUGH CHARGING)	FEATURES	BACKLIT KEYPAD		BUILT-IN TRACKPAD		TWO-CANTILEVER-HINGE DESIGN		14-KEY QUICK ACCESS FUNCTION	COMPATIBILITY	IPAD 11-INCH	UNIT	4														
CHARGING INTERFACE	USB-C (PASS-THROUGH CHARGING)																												
FEATURES	BACKLIT KEYPAD																												
	BUILT-IN TRACKPAD																												
	TWO-CANTILEVER-HINGE DESIGN																												
	14-KEY QUICK ACCESS FUNCTION																												
COMPATIBILITY	IPAD 11-INCH																												

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)														
D.14	NUMBER PAD ICLEVER IC-KP09 PORTABLE WIRELESS 2.4G NUMBER KEYBOARD PAD ATAU SETARA DENGANNYA <table><tr><td>TYPE</td><td>NUMERIC KEYPAD</td></tr><tr><td>CONNECTION TYPE</td><td>BLUETOOTH</td></tr><tr><td>MECHANICAL KEYS</td><td>SCISSOR-SWITCH STRUCTURE</td></tr><tr><td>BATTERY TYPE</td><td>BUILT-IN LITHIUM BATTERY</td></tr><tr><td>BATTERY LIFE</td><td>UP TO 100 HOURS</td></tr><tr><td>CHARGING TYPE</td><td>USB-C</td></tr></table>	TYPE	NUMERIC KEYPAD	CONNECTION TYPE	BLUETOOTH	MECHANICAL KEYS	SCISSOR-SWITCH STRUCTURE	BATTERY TYPE	BUILT-IN LITHIUM BATTERY	BATTERY LIFE	UP TO 100 HOURS	CHARGING TYPE	USB-C	UNIT	3				
TYPE	NUMERIC KEYPAD																		
CONNECTION TYPE	BLUETOOTH																		
MECHANICAL KEYS	SCISSOR-SWITCH STRUCTURE																		
BATTERY TYPE	BUILT-IN LITHIUM BATTERY																		
BATTERY LIFE	UP TO 100 HOURS																		
CHARGING TYPE	USB-C																		
D.15	LASER POINTER RAPOO XR200 USB 2.4G TOUCHABLE RECHARGEABLE 3R LASER PRESENTER ATAU SETARA DENGANNYA <table><tr><td>FREQUENCY</td><td>2.4GHZ, UP TO 30M</td></tr><tr><td>LASER POWER OUTPUT</td><td>LESS THAN 5MW</td></tr><tr><td>LASER WAVELENGTH</td><td>650NM (RED)</td></tr><tr><td>LASER DISTANCE</td><td>MORE THAN 200M</td></tr><tr><td>CONTROL FUNCTION</td><td>PAGE UP & DOWN WINDOWS CONTROL HYPERLINK </td></tr><tr><td></td><td>TOUCHABLE PEN HEAD</td></tr><tr><td>BATTERY</td><td>RECHARGEABLE LITHIUM BATTERY, 90 DAYS</td></tr></table>	FREQUENCY	2.4GHZ, UP TO 30M	LASER POWER OUTPUT	LESS THAN 5MW	LASER WAVELENGTH	650NM (RED)	LASER DISTANCE	MORE THAN 200M	CONTROL FUNCTION	PAGE UP & DOWN WINDOWS CONTROL HYPERLINK		TOUCHABLE PEN HEAD	BATTERY	RECHARGEABLE LITHIUM BATTERY, 90 DAYS	UNIT	4		
FREQUENCY	2.4GHZ, UP TO 30M																		
LASER POWER OUTPUT	LESS THAN 5MW																		
LASER WAVELENGTH	650NM (RED)																		
LASER DISTANCE	MORE THAN 200M																		
CONTROL FUNCTION	PAGE UP & DOWN WINDOWS CONTROL HYPERLINK																		
	TOUCHABLE PEN HEAD																		
BATTERY	RECHARGEABLE LITHIUM BATTERY, 90 DAYS																		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																		
D.16	3D PRINTER FILAMENT CREALITY HYPER 1.75MM PLA 3D PRINTING FILAMENT 1KG/SPOOL (PUTIH) ATAU SETARA DENGANNYA <table><tr><td>PRODUCT NAME</td><td>HYPER SERIES PLA</td></tr><tr><td>DENSITY</td><td>1.25G/CM3</td></tr><tr><td>TENSILE STRENGTH</td><td>52.991MPA</td></tr><tr><td>BENDING STRENGTH</td><td>92.381MPA</td></tr><tr><td>CHARPY IMPACT STRENGTH</td><td>8.8344KJ/M2</td></tr><tr><td>PRINTING SPEED</td><td>30-600MM/S</td></tr><tr><td>PRINTING PLATFORM</td><td>CARBON SILICON, PEI PLATFORM BOARD, TEXTURED PAPER, PVP SOLID GLUE</td></tr><tr><td>FILAMENT DIAMETER</td><td>1.75MM</td></tr><tr><td>NET WEIGHT</td><td>1KG/2.2LB</td></tr></table>	PRODUCT NAME	HYPER SERIES PLA	DENSITY	1.25G/CM3	TENSILE STRENGTH	52.991MPA	BENDING STRENGTH	92.381MPA	CHARPY IMPACT STRENGTH	8.8344KJ/M2	PRINTING SPEED	30-600MM/S	PRINTING PLATFORM	CARBON SILICON, PEI PLATFORM BOARD, TEXTURED PAPER, PVP SOLID GLUE	FILAMENT DIAMETER	1.75MM	NET WEIGHT	1KG/2.2LB	UNIT	2		
PRODUCT NAME	HYPER SERIES PLA																						
DENSITY	1.25G/CM3																						
TENSILE STRENGTH	52.991MPA																						
BENDING STRENGTH	92.381MPA																						
CHARPY IMPACT STRENGTH	8.8344KJ/M2																						
PRINTING SPEED	30-600MM/S																						
PRINTING PLATFORM	CARBON SILICON, PEI PLATFORM BOARD, TEXTURED PAPER, PVP SOLID GLUE																						
FILAMENT DIAMETER	1.75MM																						
NET WEIGHT	1KG/2.2LB																						
D.17	3D PRINTER FILAMENT CREALITY CR 1.75MM PLA 3D PRINTING FILAMENT 1KG/SPOOL (PUTIH) ATAU SETARA DENGANNYA <table><tr><td>PRODUCT NAME</td><td>CR-PLA FILAMENT</td></tr><tr><td>DENSITY</td><td>1.24G/CM3</td></tr><tr><td>TENSILE STRENGTH</td><td>51MPA</td></tr><tr><td>BENDING STRENGTH</td><td>86MPA</td></tr><tr><td>CHARPY IMPACT STRENGTH</td><td>10.5J/M2</td></tr><tr><td>PRINTING SPEED</td><td>40-120MM/S</td></tr><tr><td>PRINTING PLATFORM</td><td>TEMPERED GLASS, MASK TAP, GLUE STICK</td></tr><tr><td>FILAMENT DIAMETER</td><td>1.75MM</td></tr><tr><td>NET WEIGHT</td><td>1KG/2.2LB</td></tr></table>	PRODUCT NAME	CR-PLA FILAMENT	DENSITY	1.24G/CM3	TENSILE STRENGTH	51MPA	BENDING STRENGTH	86MPA	CHARPY IMPACT STRENGTH	10.5J/M2	PRINTING SPEED	40-120MM/S	PRINTING PLATFORM	TEMPERED GLASS, MASK TAP, GLUE STICK	FILAMENT DIAMETER	1.75MM	NET WEIGHT	1KG/2.2LB	UNIT	2		
PRODUCT NAME	CR-PLA FILAMENT																						
DENSITY	1.24G/CM3																						
TENSILE STRENGTH	51MPA																						
BENDING STRENGTH	86MPA																						
CHARPY IMPACT STRENGTH	10.5J/M2																						
PRINTING SPEED	40-120MM/S																						
PRINTING PLATFORM	TEMPERED GLASS, MASK TAP, GLUE STICK																						
FILAMENT DIAMETER	1.75MM																						
NET WEIGHT	1KG/2.2LB																						

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																		
D.18	3D PRINTER FILAMENT CREALITY ENDER-PLA 1.75MM 3D PRINTING FILAMENT 1KG (PUTIH) ATAU SETARA DENGANNYA <table><tr><td>PRODUCT NAME</td><td>ENDER-PLA FILAMENT</td></tr><tr><td>DENSITY</td><td>1.25G/CM3</td></tr><tr><td>TENSILE STRENGTH</td><td>34MPA</td></tr><tr><td>BENDING STRENGTH</td><td>77MPA</td></tr><tr><td>CHARPY IMPACT STRENGTH</td><td>7J/M2</td></tr><tr><td>PRINTING SPEED</td><td>40-80MM/S</td></tr><tr><td>PRINTING PLATFORM</td><td>CARBORUNDUM GLASS PLATFORM, PEI PLATFORM, CREPE TAPE, PVP GLUE</td></tr><tr><td>FILAMENT DIAMETER</td><td>1.75MM</td></tr><tr><td>NET WEIGHT</td><td>1KG/2.2LB</td></tr></table>	PRODUCT NAME	ENDER-PLA FILAMENT	DENSITY	1.25G/CM3	TENSILE STRENGTH	34MPA	BENDING STRENGTH	77MPA	CHARPY IMPACT STRENGTH	7J/M2	PRINTING SPEED	40-80MM/S	PRINTING PLATFORM	CARBORUNDUM GLASS PLATFORM, PEI PLATFORM, CREPE TAPE, PVP GLUE	FILAMENT DIAMETER	1.75MM	NET WEIGHT	1KG/2.2LB	UNIT	1		
PRODUCT NAME	ENDER-PLA FILAMENT																						
DENSITY	1.25G/CM3																						
TENSILE STRENGTH	34MPA																						
BENDING STRENGTH	77MPA																						
CHARPY IMPACT STRENGTH	7J/M2																						
PRINTING SPEED	40-80MM/S																						
PRINTING PLATFORM	CARBORUNDUM GLASS PLATFORM, PEI PLATFORM, CREPE TAPE, PVP GLUE																						
FILAMENT DIAMETER	1.75MM																						
NET WEIGHT	1KG/2.2LB																						
D.19	TOWER POWER EXTENSION ENCO VERTICAL POWER SOCKET ATAU SETARA DENGANNYA <table><tr><td>MATERIAL</td><td>FIRE RETARDANT</td></tr><tr><td>CURRENT</td><td>13A</td></tr><tr><td>SOCKET</td><td>8</td></tr><tr><td>POWER</td><td>3250W MAX</td></tr><tr><td>CABLE LENGTH</td><td>2M PURE COPPER</td></tr><tr><td>USB OUTPUT</td><td>4 PORT 2.1A</td></tr><tr><td>SAFETY PROTECTION</td><td>OVERLOAD PROTECTOR</td></tr><tr><td>SIRIM CERTIFIED</td><td>CERTIFIED</td></tr></table>	MATERIAL	FIRE RETARDANT	CURRENT	13A	SOCKET	8	POWER	3250W MAX	CABLE LENGTH	2M PURE COPPER	USB OUTPUT	4 PORT 2.1A	SAFETY PROTECTION	OVERLOAD PROTECTOR	SIRIM CERTIFIED	CERTIFIED	UNIT	3				
MATERIAL	FIRE RETARDANT																						
CURRENT	13A																						
SOCKET	8																						
POWER	3250W MAX																						
CABLE LENGTH	2M PURE COPPER																						
USB OUTPUT	4 PORT 2.1A																						
SAFETY PROTECTION	OVERLOAD PROTECTOR																						
SIRIM CERTIFIED	CERTIFIED																						
D.20	EXTENSION 3M SELAMAT MA-1183(NEON) 3 METER 3 GANG ATAU SETARA DENGANNYA <table><tr><td>MATERIAL</td><td>FIRE RETARDANT</td></tr><tr><td>CURRENT</td><td>13A</td></tr><tr><td>SOCKET</td><td>3</td></tr><tr><td>POWER</td><td>3250W MAX</td></tr><tr><td>CABLE LENGTH</td><td>3M PURE COPPER</td></tr><tr><td>SAFETY PROTECTION</td><td>SURGE PROTECTOR</td></tr><tr><td>SAFETY APPROVED</td><td>SIRIM & SURUHANJAYA TENAGA</td></tr></table>	MATERIAL	FIRE RETARDANT	CURRENT	13A	SOCKET	3	POWER	3250W MAX	CABLE LENGTH	3M PURE COPPER	SAFETY PROTECTION	SURGE PROTECTOR	SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA	UNIT	5						
MATERIAL	FIRE RETARDANT																						
CURRENT	13A																						
SOCKET	3																						
POWER	3250W MAX																						
CABLE LENGTH	3M PURE COPPER																						
SAFETY PROTECTION	SURGE PROTECTOR																						
SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA																						

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)														
D.21	EXTENSION 5M SELAMAT MA-1183(NEON) 5 METER 3 GANG ATAU SETARA DENGANNYA <table><tr><td>MATERIAL</td><td>FIRE RETARDANT</td></tr><tr><td>CURRENT</td><td>13A</td></tr><tr><td>SOCKET</td><td>3</td></tr><tr><td>POWER</td><td>3250W MAX</td></tr><tr><td>CABLE LENGTH</td><td>5M PURE COPPER</td></tr><tr><td>SAFETY PROTECTION</td><td>OVERLOAD PROTECTOR</td></tr><tr><td>SAFETY APPROVED</td><td>SIRIM & SURUHANJAYA TENAGA</td></tr></table>	MATERIAL	FIRE RETARDANT	CURRENT	13A	SOCKET	3	POWER	3250W MAX	CABLE LENGTH	5M PURE COPPER	SAFETY PROTECTION	OVERLOAD PROTECTOR	SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA	UNIT	5		
MATERIAL	FIRE RETARDANT																		
CURRENT	13A																		
SOCKET	3																		
POWER	3250W MAX																		
CABLE LENGTH	5M PURE COPPER																		
SAFETY PROTECTION	OVERLOAD PROTECTOR																		
SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA																		
D.22	EXTENSION 7M SELAMAT 2K-244 4 GANG CABLE REEL 7 METER ATAU SETARA DENGANNYA <table><tr><td>BODY TYPE</td><td>HEAVY DUTY CABLE REEL</td></tr><tr><td>CURRENT</td><td>13A</td></tr><tr><td>SOCKET</td><td>4</td></tr><tr><td>POWER</td><td>3000W MAX</td></tr><tr><td>CABLE LENGTH</td><td>7M PURE COPPER</td></tr><tr><td>SAFETY APPROVED</td><td>SIRIM & SURUHANJAYA TENAGA</td></tr></table>	BODY TYPE	HEAVY DUTY CABLE REEL	CURRENT	13A	SOCKET	4	POWER	3000W MAX	CABLE LENGTH	7M PURE COPPER	SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA	UNIT	3				
BODY TYPE	HEAVY DUTY CABLE REEL																		
CURRENT	13A																		
SOCKET	4																		
POWER	3000W MAX																		
CABLE LENGTH	7M PURE COPPER																		
SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA																		
D.23	EXTENSION 15M SELAMAT 2K-344 4 GANG CABLE REEL 15 METER ATAU SETARA DENGANNYA <table><tr><td>BODY TYPE</td><td>HEAVY DUTY CABLE REEL</td></tr><tr><td>CURRENT</td><td>13A</td></tr><tr><td>SOCKET</td><td>4</td></tr><tr><td>POWER</td><td>3000W MAX</td></tr><tr><td>CABLE LENGTH</td><td>15M PURE COPPER</td></tr><tr><td>SAFETY APPROVED</td><td>SIRIM & SURUHANJAYA TENAGA</td></tr></table>	BODY TYPE	HEAVY DUTY CABLE REEL	CURRENT	13A	SOCKET	4	POWER	3000W MAX	CABLE LENGTH	15M PURE COPPER	SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA	UNIT	2				
BODY TYPE	HEAVY DUTY CABLE REEL																		
CURRENT	13A																		
SOCKET	4																		
POWER	3000W MAX																		
CABLE LENGTH	15M PURE COPPER																		
SAFETY APPROVED	SIRIM & SURUHANJAYA TENAGA																		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																						
D.24	MAGIC KEYBOARD MAGIC KEYBOARD FOR IPAD AIR 11-INCH ATAU SETARA DENGANNYA <table><tr><td>DESIGN</td><td>FLOATING WITH ADJUSTABLE MAGNETIC HINGE</td></tr><tr><td>KEYBOARD</td><td>BACKLIT WITH SCISSOR MECHANISM</td></tr><tr><td>TRACKPAD</td><td>BUILT-IN</td></tr><tr><td>PORT</td><td>USB-C PASSTHROUGH CHARGING</td></tr><tr><td>PROTECTION</td><td>FRONT AND BACK COVER</td></tr><tr><td>COMPATIBILITY</td><td>IPAD AIR 11 INCH</td></tr></table>	DESIGN	FLOATING WITH ADJUSTABLE MAGNETIC HINGE	KEYBOARD	BACKLIT WITH SCISSOR MECHANISM	TRACKPAD	BUILT-IN	PORT	USB-C PASSTHROUGH CHARGING	PROTECTION	FRONT AND BACK COVER	COMPATIBILITY	IPAD AIR 11 INCH	UNIT	1												
DESIGN	FLOATING WITH ADJUSTABLE MAGNETIC HINGE																										
KEYBOARD	BACKLIT WITH SCISSOR MECHANISM																										
TRACKPAD	BUILT-IN																										
PORT	USB-C PASSTHROUGH CHARGING																										
PROTECTION	FRONT AND BACK COVER																										
COMPATIBILITY	IPAD AIR 11 INCH																										
D.25	HDMI CABLE 3M KAMEHA KA189 HDMI TO HDMI V2.1 8K60HZ 3METER ATAU SETARA DENGANNYA <table><tr><td>CABLE LENGTH</td><td>3M</td></tr><tr><td>BANDWIDTH</td><td>UP TO 48 GBPS</td></tr><tr><td>RESOLUTION</td><td>4K@50/60, 4K@100/120, 8K@50/60, 8K@100/120</td></tr><tr><td>POWER OUTPUT</td><td>UP TO 118W</td></tr><tr><td>FEATURES</td><td>SUPPORTS DTS MASTER, DTS:X, DOLBY TRUE HD, DOLBY ATOMS, DOLBY VISION AND MORE</td></tr><tr><td></td><td>ALLM - AUTO LOW LATENCY MODE</td></tr><tr><td></td><td>EARC - ENHANCED AUDIO RETURN CHANNEL</td></tr><tr><td></td><td>QFT - QUICK FRAME TRANSPORT</td></tr><tr><td></td><td>QMS - QUICK MEDIA SWITCHING</td></tr><tr><td></td><td>VRR - VARIABLE REFRESH RATE</td></tr><tr><td></td><td>SUPPORTS HDCP 1.4, 2.0 & 2.2</td></tr></table>	CABLE LENGTH	3M	BANDWIDTH	UP TO 48 GBPS	RESOLUTION	4K@50/60, 4K@100/120, 8K@50/60, 8K@100/120	POWER OUTPUT	UP TO 118W	FEATURES	SUPPORTS DTS MASTER, DTS:X, DOLBY TRUE HD, DOLBY ATOMS, DOLBY VISION AND MORE		ALLM - AUTO LOW LATENCY MODE		EARC - ENHANCED AUDIO RETURN CHANNEL		QFT - QUICK FRAME TRANSPORT		QMS - QUICK MEDIA SWITCHING		VRR - VARIABLE REFRESH RATE		SUPPORTS HDCP 1.4, 2.0 & 2.2	UNIT	5		
CABLE LENGTH	3M																										
BANDWIDTH	UP TO 48 GBPS																										
RESOLUTION	4K@50/60, 4K@100/120, 8K@50/60, 8K@100/120																										
POWER OUTPUT	UP TO 118W																										
FEATURES	SUPPORTS DTS MASTER, DTS:X, DOLBY TRUE HD, DOLBY ATOMS, DOLBY VISION AND MORE																										
	ALLM - AUTO LOW LATENCY MODE																										
	EARC - ENHANCED AUDIO RETURN CHANNEL																										
	QFT - QUICK FRAME TRANSPORT																										
	QMS - QUICK MEDIA SWITCHING																										
	VRR - VARIABLE REFRESH RATE																										
	SUPPORTS HDCP 1.4, 2.0 & 2.2																										

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)																
D.26	HD WEBCAM LOGITECH HD PRO WEBCAM C920 ATAU SETARA DENGANNYA <table><tr><td>MAX RESOLUTION</td><td>1080 P/30 FPS - 720P/ 30 FPS</td></tr><tr><td>CAMERA</td><td>3 MEGA PIXEL</td></tr><tr><td>FOCUS TYPE</td><td>AUTOFOCUS</td></tr><tr><td>LENS TYPE</td><td>GLASS</td></tr><tr><td>BUILT-IN MIC</td><td>STEREO</td></tr><tr><td>MIC RANGE</td><td>UP TO 1 M</td></tr><tr><td>FIELD OF VIEW</td><td>78 DEGREE</td></tr><tr><td>FEATURES</td><td>TRIPOD-READY UNIVERSAL MOUNTING CLIP FITS LAPTOPS, LCD OR MONITORS</td></tr></table>	MAX RESOLUTION	1080 P/30 FPS - 720P/ 30 FPS	CAMERA	3 MEGA PIXEL	FOCUS TYPE	AUTOFOCUS	LENS TYPE	GLASS	BUILT-IN MIC	STEREO	MIC RANGE	UP TO 1 M	FIELD OF VIEW	78 DEGREE	FEATURES	TRIPOD-READY UNIVERSAL MOUNTING CLIP FITS LAPTOPS, LCD OR MONITORS	UNIT	6		
MAX RESOLUTION	1080 P/30 FPS - 720P/ 30 FPS																				
CAMERA	3 MEGA PIXEL																				
FOCUS TYPE	AUTOFOCUS																				
LENS TYPE	GLASS																				
BUILT-IN MIC	STEREO																				
MIC RANGE	UP TO 1 M																				
FIELD OF VIEW	78 DEGREE																				
FEATURES	TRIPOD-READY UNIVERSAL MOUNTING CLIP FITS LAPTOPS, LCD OR MONITORS																				
JUMLAH KESELURUHAN (BIL D)																					