

PERKHIDMATAN PENYEWAAN DAN PENYELENGGARAAN MESIN FOTOSTAT DAN MESIN PENCETAK PELAN UNTUK KEGUNAAN KAKITANGAN MAJLIS BANDARAYA ISKANDAR PUTERI BAGI TEMPOH LIMA (5) TAHUN

SPESIFIKASI TEKNIKAL

BIL.	BAHAGIAN	MUKA SURAT
A	BAHAGIAN A : SEWAAN MESIN FOTOSTAT DAN MESIN PENCETAK PELAN	2/ P%

BIL.	SPEKIFIKASI	YA	TIDAK	CATATAN																																																																				
A	<b>BAHAGIAN A : SEWAAN MESIN FOTOSTAT DAN MESIN PENCETAK PELAN</b>																																																																							
A.1	<b>MESIN FOTOSTAT MEDIUM DUTY</b> <table border="1"> <tr><td>1.</td><td><b>Copy/Print Speed</b></td><td>-</td><td>35 ppm or above</td></tr> <tr><td>2.</td><td><b>Core Function</b></td><td>-</td><td>Print, Copy, Scan, Send &amp; Optional Fax</td></tr> <tr><td>3.</td><td><b>Memory</b></td><td>-</td><td>4GB or above</td></tr> <tr><td>4.</td><td><b>Colour Capability</b></td><td>-</td><td>Full Colour</td></tr> <tr><td>5.</td><td><b>Control Panel</b></td><td>-</td><td>10.1" or above Colour Touch Screen Tilting Display</td></tr> <tr><td>6.</td><td><b>Warm-up time</b></td><td>-</td><td>Approx. 20 seconds or less</td></tr> <tr><td>7.</td><td><b>Print Resolution</b></td><td>-</td><td>1,200 x 2,400 dpi</td></tr> <tr><td>8.</td><td><b>Scan Resolution</b></td><td>-</td><td>600 x 600 dpi</td></tr> <tr><td>9.</td><td><b>Max. Original Size</b></td><td>-</td><td>A3</td></tr> <tr><td>10.</td><td><b>Number of trays</b></td><td>-</td><td>3 or more (including bypass tray)</td></tr> <tr><td>11.</td><td><b>Paper Size</b></td><td>-</td><td>SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R</td></tr> <tr><td>12.</td><td><b>Paper Weight</b></td><td>-</td><td>52 to 300 gsm</td></tr> <tr><td>13.</td><td><b>Paper Output Capacity</b></td><td>-</td><td>Standard 1,200 Sheets/Max. 3,200 Sheets</td></tr> <tr><td>14.</td><td><b>Feeder Capacity</b></td><td>-</td><td>Approx. 100 sheets with automatic dual scan feeder</td></tr> <tr><td>15.</td><td><b>Reduction / Enlargement</b></td><td>-</td><td>25% to 400%</td></tr> <tr><td>16.</td><td><b>Machine Dimensions</b></td><td>-</td><td>Approx. W 577 x D 671 x H 785 mm</td></tr> <tr><td>17.</td><td><b>Machine Weight</b></td><td>-</td><td>Less than 90kg</td></tr> </table>	1.	<b>Copy/Print Speed</b>	-	35 ppm or above	2.	<b>Core Function</b>	-	Print, Copy, Scan, Send & Optional Fax	3.	<b>Memory</b>	-	4GB or above	4.	<b>Colour Capability</b>	-	Full Colour	5.	<b>Control Panel</b>	-	10.1" or above Colour Touch Screen Tilting Display	6.	<b>Warm-up time</b>	-	Approx. 20 seconds or less	7.	<b>Print Resolution</b>	-	1,200 x 2,400 dpi	8.	<b>Scan Resolution</b>	-	600 x 600 dpi	9.	<b>Max. Original Size</b>	-	A3	10.	<b>Number of trays</b>	-	3 or more (including bypass tray)	11.	<b>Paper Size</b>	-	SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R	12.	<b>Paper Weight</b>	-	52 to 300 gsm	13.	<b>Paper Output Capacity</b>	-	Standard 1,200 Sheets/Max. 3,200 Sheets	14.	<b>Feeder Capacity</b>	-	Approx. 100 sheets with automatic dual scan feeder	15.	<b>Reduction / Enlargement</b>	-	25% to 400%	16.	<b>Machine Dimensions</b>	-	Approx. W 577 x D 671 x H 785 mm	17.	<b>Machine Weight</b>	-	Less than 90kg			
1.	<b>Copy/Print Speed</b>	-	35 ppm or above																																																																					
2.	<b>Core Function</b>	-	Print, Copy, Scan, Send & Optional Fax																																																																					
3.	<b>Memory</b>	-	4GB or above																																																																					
4.	<b>Colour Capability</b>	-	Full Colour																																																																					
5.	<b>Control Panel</b>	-	10.1" or above Colour Touch Screen Tilting Display																																																																					
6.	<b>Warm-up time</b>	-	Approx. 20 seconds or less																																																																					
7.	<b>Print Resolution</b>	-	1,200 x 2,400 dpi																																																																					
8.	<b>Scan Resolution</b>	-	600 x 600 dpi																																																																					
9.	<b>Max. Original Size</b>	-	A3																																																																					
10.	<b>Number of trays</b>	-	3 or more (including bypass tray)																																																																					
11.	<b>Paper Size</b>	-	SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R																																																																					
12.	<b>Paper Weight</b>	-	52 to 300 gsm																																																																					
13.	<b>Paper Output Capacity</b>	-	Standard 1,200 Sheets/Max. 3,200 Sheets																																																																					
14.	<b>Feeder Capacity</b>	-	Approx. 100 sheets with automatic dual scan feeder																																																																					
15.	<b>Reduction / Enlargement</b>	-	25% to 400%																																																																					
16.	<b>Machine Dimensions</b>	-	Approx. W 577 x D 671 x H 785 mm																																																																					
17.	<b>Machine Weight</b>	-	Less than 90kg																																																																					
A.2	<b>MESIN FOTOSTAT HEAVY DUTY</b> <table border="1"> <tr><td>1.</td><td><b>Copy/Print Speed</b></td><td>-</td><td>50 ppm or above</td></tr> <tr><td>2.</td><td><b>Core Function</b></td><td>-</td><td>Print, Copy, Scan, Send &amp; Optional Fax</td></tr> <tr><td>3.</td><td><b>Memory</b></td><td>-</td><td>5GB or above</td></tr> <tr><td>4.</td><td><b>Colour Capability</b></td><td>-</td><td>Full Colour</td></tr> <tr><td>5.</td><td><b>Control Panel</b></td><td>-</td><td>10.1" or above Colour Touch Screen Tilting Display</td></tr> <tr><td>6.</td><td><b>Warm-up time</b></td><td>-</td><td>Approx. 30 seconds or less</td></tr> <tr><td>7.</td><td><b>Print Resolution</b></td><td>-</td><td>1,200 x 2,400 dpi</td></tr> <tr><td>8.</td><td><b>Scan Resolution</b></td><td>-</td><td>600 x 600 dpi</td></tr> <tr><td>9.</td><td><b>Max. Original Size</b></td><td>-</td><td>A3</td></tr> <tr><td>10.</td><td><b>Number of trays</b></td><td>-</td><td>4 or more (including bypass tray)</td></tr> <tr><td>11.</td><td><b>Paper Size</b></td><td>-</td><td>SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R</td></tr> <tr><td>12.</td><td><b>Paper Weight</b></td><td>-</td><td>52 to 300 gsm</td></tr> <tr><td>13.</td><td><b>Paper Output Capacity</b></td><td>-</td><td>Standard 2,280 Sheets/Max. 4,780 Sheets</td></tr> <tr><td>14.</td><td><b>Feeder Capacity</b></td><td>-</td><td>Approx. 200 sheets with automatic dual scan feeder</td></tr> <tr><td>15.</td><td><b>Reduction / Enlargement</b></td><td>-</td><td>25% to 400%</td></tr> <tr><td>16.</td><td><b>Machine Dimensions</b></td><td>-</td><td>Approx. W 658 x D 790 x H 1,169 mm</td></tr> <tr><td>17.</td><td><b>Machine Weight</b></td><td>-</td><td>Less than 120 kg</td></tr> </table>	1.	<b>Copy/Print Speed</b>	-	50 ppm or above	2.	<b>Core Function</b>	-	Print, Copy, Scan, Send & Optional Fax	3.	<b>Memory</b>	-	5GB or above	4.	<b>Colour Capability</b>	-	Full Colour	5.	<b>Control Panel</b>	-	10.1" or above Colour Touch Screen Tilting Display	6.	<b>Warm-up time</b>	-	Approx. 30 seconds or less	7.	<b>Print Resolution</b>	-	1,200 x 2,400 dpi	8.	<b>Scan Resolution</b>	-	600 x 600 dpi	9.	<b>Max. Original Size</b>	-	A3	10.	<b>Number of trays</b>	-	4 or more (including bypass tray)	11.	<b>Paper Size</b>	-	SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R	12.	<b>Paper Weight</b>	-	52 to 300 gsm	13.	<b>Paper Output Capacity</b>	-	Standard 2,280 Sheets/Max. 4,780 Sheets	14.	<b>Feeder Capacity</b>	-	Approx. 200 sheets with automatic dual scan feeder	15.	<b>Reduction / Enlargement</b>	-	25% to 400%	16.	<b>Machine Dimensions</b>	-	Approx. W 658 x D 790 x H 1,169 mm	17.	<b>Machine Weight</b>	-	Less than 120 kg			
1.	<b>Copy/Print Speed</b>	-	50 ppm or above																																																																					
2.	<b>Core Function</b>	-	Print, Copy, Scan, Send & Optional Fax																																																																					
3.	<b>Memory</b>	-	5GB or above																																																																					
4.	<b>Colour Capability</b>	-	Full Colour																																																																					
5.	<b>Control Panel</b>	-	10.1" or above Colour Touch Screen Tilting Display																																																																					
6.	<b>Warm-up time</b>	-	Approx. 30 seconds or less																																																																					
7.	<b>Print Resolution</b>	-	1,200 x 2,400 dpi																																																																					
8.	<b>Scan Resolution</b>	-	600 x 600 dpi																																																																					
9.	<b>Max. Original Size</b>	-	A3																																																																					
10.	<b>Number of trays</b>	-	4 or more (including bypass tray)																																																																					
11.	<b>Paper Size</b>	-	SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R																																																																					
12.	<b>Paper Weight</b>	-	52 to 300 gsm																																																																					
13.	<b>Paper Output Capacity</b>	-	Standard 2,280 Sheets/Max. 4,780 Sheets																																																																					
14.	<b>Feeder Capacity</b>	-	Approx. 200 sheets with automatic dual scan feeder																																																																					
15.	<b>Reduction / Enlargement</b>	-	25% to 400%																																																																					
16.	<b>Machine Dimensions</b>	-	Approx. W 658 x D 790 x H 1,169 mm																																																																					
17.	<b>Machine Weight</b>	-	Less than 120 kg																																																																					

BIL.	SPESIFIKASI	YA	TIDAK	CATATAN																																																																				
A.3	<p><b>MESIN FOTOSTAT HIGH HEAVY DUTY</b></p> <table border="1"> <tr> <td>1.</td> <td><b>Copy/Print Speed</b></td> <td>-</td> <td>75 ppm or above</td> </tr> <tr> <td>2.</td> <td><b>Core Function</b></td> <td>-</td> <td>Print, Copy, Scan, Send &amp; Optional Fax</td> </tr> <tr> <td>3.</td> <td><b>Memory</b></td> <td>-</td> <td>6GB or above</td> </tr> <tr> <td>4.</td> <td><b>Colour Capability</b></td> <td>-</td> <td>Full Colour</td> </tr> <tr> <td>5.</td> <td><b>Control Panel</b></td> <td>-</td> <td>10.1" or above Colour Touch Screen Tilting Display</td> </tr> <tr> <td>6.</td> <td><b>Warm-up time</b></td> <td>-</td> <td>Approx. 30 seconds or less</td> </tr> <tr> <td>7.</td> <td><b>Print Resolution</b></td> <td>-</td> <td>1,200 x 2,400 dpi</td> </tr> <tr> <td>8.</td> <td><b>Scan Resolution</b></td> <td>-</td> <td>600 x 600 dpi</td> </tr> <tr> <td>9.</td> <td><b>Max. Original Size</b></td> <td>-</td> <td>A3</td> </tr> <tr> <td>10.</td> <td><b>Number of trays</b></td> <td>-</td> <td>4 or more (including bypass tray)</td> </tr> <tr> <td>11.</td> <td><b>Paper Size</b></td> <td>-</td> <td>SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R</td> </tr> <tr> <td>12.</td> <td><b>Paper Weight</b></td> <td>-</td> <td>52 to 300 gsm</td> </tr> <tr> <td>13.</td> <td><b>Paper Output Capacity</b></td> <td>-</td> <td>Standard 2,280 Sheets/Max. 4,780 Sheets</td> </tr> <tr> <td>14.</td> <td><b>Feeder Capacity</b></td> <td>-</td> <td>Approx. 300 sheets with automatic dual scan feeder</td> </tr> <tr> <td>15.</td> <td><b>Reduction / Enlargement</b></td> <td>-</td> <td>25% to 400%</td> </tr> <tr> <td>16.</td> <td><b>Machine Dimensions</b></td> <td>-</td> <td>Approx. W 658 x D 790 x H 1,169 mm</td> </tr> <tr> <td>17.</td> <td><b>Machine Weight</b></td> <td>-</td> <td>Less than 140 kg</td> </tr> </table>	1.	<b>Copy/Print Speed</b>	-	75 ppm or above	2.	<b>Core Function</b>	-	Print, Copy, Scan, Send & Optional Fax	3.	<b>Memory</b>	-	6GB or above	4.	<b>Colour Capability</b>	-	Full Colour	5.	<b>Control Panel</b>	-	10.1" or above Colour Touch Screen Tilting Display	6.	<b>Warm-up time</b>	-	Approx. 30 seconds or less	7.	<b>Print Resolution</b>	-	1,200 x 2,400 dpi	8.	<b>Scan Resolution</b>	-	600 x 600 dpi	9.	<b>Max. Original Size</b>	-	A3	10.	<b>Number of trays</b>	-	4 or more (including bypass tray)	11.	<b>Paper Size</b>	-	SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R	12.	<b>Paper Weight</b>	-	52 to 300 gsm	13.	<b>Paper Output Capacity</b>	-	Standard 2,280 Sheets/Max. 4,780 Sheets	14.	<b>Feeder Capacity</b>	-	Approx. 300 sheets with automatic dual scan feeder	15.	<b>Reduction / Enlargement</b>	-	25% to 400%	16.	<b>Machine Dimensions</b>	-	Approx. W 658 x D 790 x H 1,169 mm	17.	<b>Machine Weight</b>	-	Less than 140 kg			
1.	<b>Copy/Print Speed</b>	-	75 ppm or above																																																																					
2.	<b>Core Function</b>	-	Print, Copy, Scan, Send & Optional Fax																																																																					
3.	<b>Memory</b>	-	6GB or above																																																																					
4.	<b>Colour Capability</b>	-	Full Colour																																																																					
5.	<b>Control Panel</b>	-	10.1" or above Colour Touch Screen Tilting Display																																																																					
6.	<b>Warm-up time</b>	-	Approx. 30 seconds or less																																																																					
7.	<b>Print Resolution</b>	-	1,200 x 2,400 dpi																																																																					
8.	<b>Scan Resolution</b>	-	600 x 600 dpi																																																																					
9.	<b>Max. Original Size</b>	-	A3																																																																					
10.	<b>Number of trays</b>	-	4 or more (including bypass tray)																																																																					
11.	<b>Paper Size</b>	-	SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R																																																																					
12.	<b>Paper Weight</b>	-	52 to 300 gsm																																																																					
13.	<b>Paper Output Capacity</b>	-	Standard 2,280 Sheets/Max. 4,780 Sheets																																																																					
14.	<b>Feeder Capacity</b>	-	Approx. 300 sheets with automatic dual scan feeder																																																																					
15.	<b>Reduction / Enlargement</b>	-	25% to 400%																																																																					
16.	<b>Machine Dimensions</b>	-	Approx. W 658 x D 790 x H 1,169 mm																																																																					
17.	<b>Machine Weight</b>	-	Less than 140 kg																																																																					
A.4	<p><b>MESIN PENCETAK PELAN</b></p> <table border="1"> <tr> <td>1.</td> <td><b>Copy/Print Speed</b></td> <td>-</td> <td>170/hr, 19.3/sec (A1) or less</td> </tr> <tr> <td>2.</td> <td><b>Copy Process/ Type</b></td> <td>-</td> <td>Dye-based (C, M, Y, pK, G)/ pigment-based (mK)</td> </tr> <tr> <td>3.</td> <td><b>Memory</b></td> <td>-</td> <td>128GB</td> </tr> <tr> <td>4.</td> <td><b>Colour Capability</b></td> <td>-</td> <td>Full Colour</td> </tr> <tr> <td>5.</td> <td><b>Control Panel</b></td> <td>-</td> <td>15.6" or above Colour Touch Screen Tilting Display</td> </tr> <tr> <td>6.</td> <td><b>Warm-up time</b></td> <td>-</td> <td>Approx. 20 seconds or less</td> </tr> <tr> <td>7.</td> <td><b>Print Resolution</b></td> <td>-</td> <td>2,400 x 1,200 dpi</td> </tr> <tr> <td>8.</td> <td><b>Max. Original Size</b></td> <td>-</td> <td>A0</td> </tr> <tr> <td>9.</td> <td><b>Paper Size</b></td> <td>-</td> <td>A4, A3, A2, A1, A0</td> </tr> <tr> <td>10.</td> <td><b>Paper Output Capacity</b></td> <td>-</td> <td>Roll: 3 x 3 x 3 x 3 mm Sheet: 3 x 22 x 3 x 3 mm</td> </tr> <tr> <td>11.</td> <td><b>Reduction / Enlargement</b></td> <td>-</td> <td>25% to 400%</td> </tr> <tr> <td>12.</td> <td><b>Machine Dimensions</b></td> <td>-</td> <td>Approx. 1390 x 760 x 1240 mm</td> </tr> <tr> <td>13.</td> <td><b>Machine Weight</b></td> <td>-</td> <td>Less than 200 kg</td> </tr> </table>	1.	<b>Copy/Print Speed</b>	-	170/hr, 19.3/sec (A1) or less	2.	<b>Copy Process/ Type</b>	-	Dye-based (C, M, Y, pK, G)/ pigment-based (mK)	3.	<b>Memory</b>	-	128GB	4.	<b>Colour Capability</b>	-	Full Colour	5.	<b>Control Panel</b>	-	15.6" or above Colour Touch Screen Tilting Display	6.	<b>Warm-up time</b>	-	Approx. 20 seconds or less	7.	<b>Print Resolution</b>	-	2,400 x 1,200 dpi	8.	<b>Max. Original Size</b>	-	A0	9.	<b>Paper Size</b>	-	A4, A3, A2, A1, A0	10.	<b>Paper Output Capacity</b>	-	Roll: 3 x 3 x 3 x 3 mm Sheet: 3 x 22 x 3 x 3 mm	11.	<b>Reduction / Enlargement</b>	-	25% to 400%	12.	<b>Machine Dimensions</b>	-	Approx. 1390 x 760 x 1240 mm	13.	<b>Machine Weight</b>	-	Less than 200 kg																			
1.	<b>Copy/Print Speed</b>	-	170/hr, 19.3/sec (A1) or less																																																																					
2.	<b>Copy Process/ Type</b>	-	Dye-based (C, M, Y, pK, G)/ pigment-based (mK)																																																																					
3.	<b>Memory</b>	-	128GB																																																																					
4.	<b>Colour Capability</b>	-	Full Colour																																																																					
5.	<b>Control Panel</b>	-	15.6" or above Colour Touch Screen Tilting Display																																																																					
6.	<b>Warm-up time</b>	-	Approx. 20 seconds or less																																																																					
7.	<b>Print Resolution</b>	-	2,400 x 1,200 dpi																																																																					
8.	<b>Max. Original Size</b>	-	A0																																																																					
9.	<b>Paper Size</b>	-	A4, A3, A2, A1, A0																																																																					
10.	<b>Paper Output Capacity</b>	-	Roll: 3 x 3 x 3 x 3 mm Sheet: 3 x 22 x 3 x 3 mm																																																																					
11.	<b>Reduction / Enlargement</b>	-	25% to 400%																																																																					
12.	<b>Machine Dimensions</b>	-	Approx. 1390 x 760 x 1240 mm																																																																					
13.	<b>Machine Weight</b>	-	Less than 200 kg																																																																					